

STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® - XS SIGHT SYSTEMS STANDARD DOT FRONT SIGHT S&W J FRAME & RUGER SP101 GREEN

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

The XS Standard Dot tritium night sight is a superior defensive sight. Fits S&W J-Frame with pinned front sight and Ruger SP101 with a fixed rear. Precision machined in Fort Worth, TX, XS Sights feature a Standard Dot Tritium front sight for fast sight acquisition in all light conditions. Standard Dot is larger than most fronts to be seen under stress, but covers less of the target than the Big Dot. White dot reflects ambient light for visibility in low light. Day-Light, Half-Light, or Low-Light, place the bottom of the dot in the bottom of the sight channel and center the dot over your target within 15 yards. Outside Diameter Standard Dot 0.140"; fits in common holsters. Installation requires a drill press to drill the retaining pin hole in sight body.



Attributes

- Name: [XS SIGHT SYSTEMS STANDARD DOT FRONT SIGHT S&W J FRAME & RUGER SP101 GREEN](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109175
- Mfr. No.: RV-0003N-4G
- Model: J Frame
- Sight Color: -
- Style: Fixed
- Weapon type: Smith & Wesson
- Delivery weight: 0.068kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533000611

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® XS SIGHT SYSTEMS
- About Us

Safety Instruction Guide for STANDARD TRITIUM SIGHTS FOR SMITH & WESSON & RUGER® XS SIGHT SYSTEMS

Introduction

Thank you for purchasing the Standard Tritium Sights for Smith & Wesson and Ruger XS Sight Systems. This guide provides essential safety information and instructions to ensure the safe use and installation of your new sights. Please read this guide carefully before use.

General Safety Guidelines

- Product Safety: Ensure the safe use of this product by following all instructions.
- Enhanced Recalls: Be aware of any recall notices related to this product. Stay informed about safety updates.
- Online Shopping: If purchased online, know that the same safety protections apply as in physical stores.
- Special Consumer Focus: Extra precautions should be taken when this product is used by individuals who may be vulnerable, such as children.
- EU Contact Point: For any safety inquiries, ensure you have access to an EU-based contact point.
- Rapid Alerts: Stay updated on any safety alerts about this product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or adjusting the sights.
- Handle the sights with care to avoid damage during installation.
- Use the sights only for their intended purpose as outlined in this guide.
- Regularly inspect the sights for any signs of wear or damage.
- Do not modify the sights in any way, as this may compromise safety and functionality.
- Store the sights in a safe place away from children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- Gather the necessary tools: a drill press, drill bit for the retaining pin hole, and a suitable sight tool.
- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing sight from the firearm.
- Using the drill press, drill the retaining pin hole in the sight body according to the manufacturer's specifications.
- Install the Standard Dot Tritium front sight into the sight channel.
- Secure the sight with the retaining pin.
- Check the alignment of the sight before finalizing the installation.

2. Usage:

- To achieve optimal sight alignment, place the bottom of the dot in the bottom of the sight channel.
- Center the dot over your target within a distance of 15 yards.
- The white dot will reflect ambient light, enhancing visibility in lowlight conditions.
- Practice using the sights in various lighting conditions to become familiar with their performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations for hazardous materials.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For further support or inquiries regarding safety, installation, or usage of the Standard Tritium Sights, please refer to the contact information provided by your retailer or the manufacturer. Ensure that you have access to an EUbased contact point for any safetyrelated questions.

By following this safety instruction guide, you can ensure the safe and effective use of your Standard Tritium Sights for Smith & Wesson and Ruger XS Sight Systems. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk