

R3D SUPPRESSOR HEIGHT NIGHT SIGHTS FOR GLOCK 17/19/22/38 - XS SIGHT SYSTEMS R3D NIGHT SIGHTS SUPPRESSOR HEIGHT FOR GLOCK 17/19/38 GREEN

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

XS R3D Night Sights feature a traditional 3-dot tritium, notch and post sight picture. The blacked out rear increases contrast against the front sight. Available in orange or green, the front sight ring is equipped with our Ember Glow Dot Technology which absorbs ambient light and glows in low light. R3D sights are the brightest options for fast and accurate shooting in bright and low light. Green is the best option for low light and has the brightest glow intensity. Orange contrasts the best in bright light settings while still maintains visibility in low light. The front sight tritium lamp is brighter than the 2 rear sight lamps, reducing the possibility of mixing up the front sight tritium vial with a rear sight vial in low/no light. The front blade measures 0.145" (3.68 mm) wide, and the rear notch is 0.170" (4.32 mm) wide, which increases the visibility of the front sight. R3D sights are installable by sight pusher tools or by using a hammer and punch. Might require filing rear sight to fit, especially on Walther PDP. Fits Glock models 17, 19, 22, 23, 24, 26, 27, 31, 32, 33, 34, 35, 36; Taurus G3c, GX4, and new produciton G3; Walther PDP and new production CCP M2. Suppressor Height and lower third co-witnesses with Glock factory cut and RMR.



Attributes

- Name: [XS SIGHT SYSTEMS R3D NIGHT SIGHTS SUPPRESSOR HEIGHT FOR GLOCK 17/19/38 GREEN](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109178
- Mfr. No.: GL-R021P-6G
- Model: 22,36,GX4,PDP,26,38,39,45,32,24,35,19,CCP M2,34,G3C,47,17,G3,33,27,31
- Sight Color: Green
- Style: Suppressor Height
- Weapon type: Glock,Walther,Taurus
- Delivery weight: 0.068kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533046770

Item details

Made in USA

Table of Contents

- Startpage
- R3D Suppressor Height Night Sights Safety Instruction Guide
- About Us

R3D Suppressor Height Night Sights Safety Instruction Guide

Introduction

Thank you for choosing the R3D Suppressor Height Night Sights for your Glock, Walther, or Taurus firearm. These sights are designed to enhance your shooting experience by providing improved visibility in both bright and lowlight conditions. This guide provides important safety information and instructions to ensure proper use and maintenance of your night sights in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before installation and use of the sights.
- Always handle your firearm safely and responsibly, following all local laws and regulations.
- Keep the sights out of reach of children and unauthorized users.
- Inspect the sights regularly for any signs of damage or wear.
- Report any unsafe products or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Installation Precautions:

- Use proper tools for installation, such as sight pusher tools or a hammer and punch.
- Ensure that the sights are installed securely to avoid misalignment during use.
- If necessary, file the rear sight to fit, particularly on Walther PDP models.

• Usage Precautions:

- Always ensure that your firearm is unloaded before installing or adjusting the sights.
- Be aware that the front sight tritium lamp is brighter than the rear sight lamps; take care to avoid confusion in lowlight conditions.
- Use caution when shooting in lowlight environments; ensure that you are familiar with your sight picture.

• Maintenance Precautions:

- Regularly clean the sights to maintain visibility and functionality.
- Avoid using harsh chemicals that may damage the sight materials.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the necessary tools: sight pusher tool or hammer and punch.
- Unload your firearm completely and verify it is safe to work on.
- Remove the existing sights from your firearm using the appropriate tool.
- Align the new R3D sights with the mounting points on your firearm.
- Securely install the front and rear sights, ensuring they are properly aligned.
- If necessary, file the rear sight for a proper fit, especially on Walther PDP models.

2. Usage:

- Familiarize yourself with the sight picture: traditional 3dot tritium configuration.
- Use the blackedout rear sight to increase contrast against the front sight.
- Choose the sight color that best suits your shooting environment:
 - Green for low light conditions, offering the brightest glow intensity.
 - Orange for better visibility in bright light settings.

3. Sighting In:

- Once installed, take your firearm to a safe shooting range.
- Test the alignment of your sights by shooting at a target.
- Adjust as necessary to ensure accuracy.

Disposal Instructions

- Dispose of any damaged or nonfunctional sights in accordance with local regulations.
- Do not dispose of sights in regular household waste if they contain hazardous materials.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the R3D Suppressor Height Night Sights, please refer to the manufacturer's website or customer service resources.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your R3D night sights. Thank you for prioritizing safety in your shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk