

R3D SUPPRESSOR HEIGHT NIGHT SIGHTS FOR GLOCK 17/19/22/38 - XS SIGHT SYSTEMS R3D NIGHT SIGHT SUPPRESSOR HEIGHT FOR GLOCK 17/19/38 ORANGE

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

XS R3D Night Sights feature a traditional 3-dot tritium, notch and post sight picture. The blacked out rear increases contrast against the front sight. Available in orange or green, the front sight ring is equipped with our Ember Glow Dot Technology which absorbs ambient light and glows in low light. R3D sights are the brightest options for fast and accurate shooting in bright and low light. Green is the best option for low light and has the brightest glow intensity. Orange contrasts the best in bright light settings while still maintains visibility in low light. The front sight tritium lamp is brighter than the 2 rear sight lamps, reducing the possibility of mixing up the front sight tritium vial with a rear sight vial in low/no light. The front blade measures 0.145" (3.68 mm) wide, and the rear notch is 0.170" (4.32 mm) wide, which increases the visibility of the front sight. R3D sights are installable by sight pusher tools or by using a hammer and punch. Might require filing rear sight to fit, especially on Walther PDP. Fits Glock models 17, 19, 22, 23, 24, 26, 27, 31, 32, 33, 34, 35, 36; Taurus G3c, GX4, and new produciton G3; Walther PDP and new production CCP M2. Suppressor Height and lower third co-witnesses with Glock factory cut and RMR.



Attributes

- Name: [XS SIGHT SYSTEMS R3D NIGHT SIGHT SUPPRESSOR HEIGHT FOR GLOCK 17/19/38 ORANGE](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 430109179
- Mfr. No.: GL-R021P-6N
- Model: 47,G3,CCP M2,27,31,34,24,45,19,35,26,32,38,PDP,17,36,22,G3C,33,GX4,39
- Sight Color: Orange
- Style: Suppressor Height
- Weapon type: Taurus,Walther,Glock
- Delivery weight: 0.068kg
- Shipping height: 32mm
- Shipping width: 127mm
- Shipping length: 203mm
- UPC: 647533046787

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for R3D Suppressor Height Night Sights for Glock 17/19/22/38
- About Us

Safety Instruction Guide for R3D Suppressor Height Night Sights for Glock 17/19/22/38

Introduction

Thank you for choosing the R3D Suppressor Height Night Sights for your Glock firearm. This guide provides important safety information, installation instructions, and guidelines for proper use to ensure your safety and the safety of others. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Ensure safe handling of firearms at all times.
- Always treat your firearm as if it is loaded.
- Keep firearms out of reach of children and unauthorized users.
- Use appropriate protective gear, such as eye and ear protection, when handling firearms.
- Familiarize yourself with local laws and regulations regarding firearms and their accessories.
- Only use the sights for their intended purpose and on compatible Glock models.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Use caution when installing the sights. If you are not confident in your ability to install them safely, seek professional assistance.
 - Ensure the firearm is unloaded before beginning installation.
- **Visibility:**
 - The front sight tritium lamp is designed to be brighter than the rear lamps. Be aware of this difference to avoid misalignment during low light conditions.
- **Compatibility:**
 - These sights are compatible with specific Glock models (17, 19, 22, 23, 24, 26, 27, 31, 32, 33, 34, 35, 36) and other designated brands. Ensure your firearm is compatible before installation.
- **Low Light Use:**
 - The Ember Glow Dot Technology enhances visibility in low light but may still require practice to ensure effective use.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: sight pusher tool or hammer and punch.
- Ensure your firearm is unloaded.

2. Installation:

- Remove the existing sights from your Glock using the appropriate tool.
- Align the R3D sights with the factory dovetail cut.
- If using a hammer and punch, gently tap the sights into place. Ensure they are secure and properly aligned.
- It may be necessary to file the rear sight for a proper fit, especially on Walther PDP models.

3. PostInstallation Check:

- Verify that the sights are securely installed and aligned.
- Test the sights in a safe environment to ensure proper visibility and alignment.

4. Usage:

- Practice using the sights in various lighting conditions to become familiar with their performance.
- Always check the sights before use to ensure they are intact and functioning properly.

Disposal Instructions

- Dispose of any damaged or unwanted sights in accordance with local regulations.
- Do not dispose of sights in regular household waste. Check with local authorities for proper disposal methods for firearm accessories.

Contact Information for Further Support

For questions or concerns regarding the R3D Suppressor Height Night Sights, please refer to the manufacturer's website or contact their customer support.

Conclusion

By following this safety instruction guide, you can ensure the safe and effective use of your R3D Suppressor Height Night Sights. Always prioritize safety and be aware of your surroundings when handling firearms. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk