

FRC 223 CALIBER TWO-PORT COMPENSATOR - FRC FLAT 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Elevate your shooting experience with the cutting-edge PWS 3-Port FRC compensator specifically designed to serve as a suppressor host for the Rearden Atlas suppressor mounting system—compatible with popular suppressors like the BDE 556. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 2-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles, ensuring reliability in any situation. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy, even in rapid-fire scenarios. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



Attributes

- Name: [FRC FLAT 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430109474
- Mfr. No.: 3FRC12A-1F
- Caliber: 223 Remington
- Finish: Black
- Make: AR-15,Primary Weapons System
- Material: -
- Model: UXR
- Threads: 1/2-28
- Delivery weight: 0.082kg
- Shipping height: 44mm
- Shipping width: 95mm
- Shipping length: 146mm
- UPC: 811154031440

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for FRC 223 Caliber TwoPort Compensator
- About Us

Safety Instruction Guide for FRC 223 Caliber TwoPort Compensator

Introduction

Thank you for choosing the FRC 223 Caliber TwoPort Compensator. This guide provides essential safety information and instructions to ensure the safe and effective use of your compensator. Please read this manual thoroughly before use to understand the safety precautions and installation procedures.

General Safety Guidelines

- Ensure that you are familiar with your firearm and its operation before installing the compensator.
- Always handle firearms with care and treat every firearm as if it is loaded.
- Use appropriate eye and ear protection while shooting.
- Do not use the compensator with ammunition that exceeds the specified caliber (223 Remington).
- Regularly inspect the compensator for wear or damage. Do not use if damaged.
- Store the compensator and firearm securely to prevent unauthorized access, especially from children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Installation:** Ensure the firearm is unloaded before installation. Follow the installation instructions carefully.
- **Shooting:** When using the compensator, maintain a proper shooting stance and grip to ensure control of the firearm.
- **Flash Suppression:** The compensator is designed to redirect flash away from the shooter's line of sight. Be aware of your surroundings when shooting.
- **Recoil Management:** The compensator aids in recoil reduction. Be prepared for improved control during rapidfire scenarios.
- **Compatibility:** Only use the compensator with compatible suppressors as specified. Verify compatibility before use.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a wrench suitable for the compensator's threads.

2. Installing the Compensator:

- Remove the existing muzzle device (if applicable) from your firearm.
- Clean the muzzle threads to ensure a proper fit.
- Align the compensator with the muzzle threads.
- Handtighten the compensator onto the muzzle, ensuring it is straight.
- Use the wrench to tighten the compensator securely, but do not overtighten.

3. Final Check:

- Ensure the compensator is firmly attached and there is no play.

- Inspect the installation for any visible gaps or misalignments.

Usage

- Always follow safe shooting practices.
- Maintain a clear line of sight and ensure the area is safe before firing.
- Monitor the performance of the compensator during use. If you notice any unusual behavior, cease use immediately and inspect the device.

Disposal Instructions

- Dispose of the compensator according to local regulations for firearm accessories.
- If the compensator is damaged or no longer functional, do not attempt to repair it. Dispose of it safely to prevent misuse.

Contact Information for Further Support

For any questions or concerns regarding the FRC 223 Caliber TwoPort Compensator, please refer to the contact information provided on the packaging or your purchase receipt.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the FRC compensator!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at