

FRC 223 CALIBER TWO-PORT COMPENSATOR - FRC TAPERED 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Elevate your shooting experience with the cutting-edge PWS 3-Port FRC compensator specifically designed to serve as a suppressor host for the Rearden Atlas suppressor mounting system—compatible with popular suppressors like the BDE 556. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 2-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles, ensuring reliability in any situation. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy, even in rapid-fire scenarios. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



Attributes

- Name: [FRC TAPERED 2-PORT 223 CALIBER 1/2"-28 THREADS COMPENSATOR](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430109475
- Mfr. No.: 3FRC12A-2F
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Make: Primary Weapons System,AR-15
- Material: -
- Model: UXR
- Threads: 1/2-28
- Delivery weight: 0.073kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 146mm
- UPC: 811154031464

Item details

Made in USA

Table of Contents

- Startpage
- FRC 223 Caliber TwoPort Compensator Safety Instructions
- About Us

FRC 223 Caliber TwoPort Compensator Safety Instructions

Introduction

Thank you for choosing the FRC 223 Caliber TwoPort Compensator. This product is designed to enhance your shooting experience by providing superior recoil management and flash suppression. To ensure your safety and the safe use of this product, please read and follow the instructions and guidelines outlined in this document carefully.

General Safety Guidelines

- Always treat the compensator as if it is loaded, even when it is not.
- Ensure that the compensator is compatible with your firearm before installation.
- Keep the compensator and all firearms out of reach of children and unauthorized users.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms equipped with this compensator.
- Regularly inspect the compensator for any signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure the firearm is unloaded before beginning installation.
- Use appropriate tools to avoid damaging the compensator or firearm during installation.

• Usage Precautions:

- Be aware of your surroundings and ensure a safe shooting environment.
- Avoid shooting in the direction of people, animals, or property.
- Use only ammunition that is compatible with the compensator and your firearm.

• Maintenance Precautions:

- Clean the compensator regularly to prevent buildup that could affect performance.
- Check for proper attachment and tightness before each use.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and the safety is engaged.
- Remove any existing muzzle devices from the firearm.
- Clean the muzzle threads of the firearm to ensure a secure fit.
- Align the compensator with the threads on the firearm.
- Handtighten the compensator onto the muzzle until snug.
- Use a wrench to secure the compensator further, but do not overtighten.

2. Usage:

- Load your firearm according to the manufacturer's instructions.
- Ensure the compensator is securely attached before firing.

- Position yourself in a stable shooting stance.
- Aim at your target and ensure the area is clear.
- Fire the firearm while maintaining control and awareness of recoil and muzzle rise.

3. PostUse:

- Unload the firearm according to the manufacturer's instructions.
- Inspect the compensator for any signs of wear or damage.
- Clean the compensator as needed to maintain performance.

Disposal Instructions

- Dispose of the compensator according to local regulations.
- Do not dispose of the compensator in regular household waste.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support for the FRC 223 Caliber TwoPort Compensator, please refer to the manufacturer's website or contact their support team directly.

By following these safety instructions, you can ensure a safe and enjoyable shooting experience with your FRC 223 Caliber TwoPort Compensator. Always prioritize safety and responsible firearm use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at