

FRC 308 CALIBER TWO-PORT COMPENSATOR - FRC FLAT 2-PORT 308 CALIBER 5/8"-24 THREADS COMPENSATOR

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Elevate your shooting experience with the cutting-edge PWS FRC square compensator, designed to be a suppressor host for the Rearden Atlas suppressor mounting system, accommodating popular suppressors like the BDE 762. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 2-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



Attributes

- Name: [FRC FLAT 2-PORT 308 CALIBER 5/8"-24 THREADS COMPENSATOR](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430109478
- Mfr. No.: 3FRC58C-1F
- Caliber: 308 Winchester
- Finish: Black
- Make: Primary Weapons System, AR-15
- Material: -
- Model: UXR
- Threads: 5/8-24
- Delivery weight: 0.073kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 146mm
- UPC: 811154031457

Item details

Made in USA

Table of Contents

- Startpage
- FRC 308 Caliber TwoPort Compensator Safety Instructions
- About Us

FRC 308 Caliber TwoPort Compensator Safety Instructions

Introduction

Thank you for choosing the FRC 308 Caliber TwoPort Compensator. This product is designed to enhance your shooting experience by reducing recoil and flash. It is important to follow safety guidelines to ensure safe usage and to maintain the product's integrity. This guide provides essential safety instructions, installation guidelines, and disposal information to help you use this product responsibly.

General Safety Guidelines

- Always treat the compensator as if it is loaded.
- Ensure you are familiar with local laws and regulations regarding the use of compensators and suppressors.
- Keep the compensator and all firearms out of reach of children and unauthorized users.
- Inspect the compensator for any damage before each use. Do not use if damaged.
- Use appropriate protective gear, including eye and ear protection, when shooting.
- Ensure that the compensator is compatible with your firearm before installation.
- Always follow the manufacturer's instructions for installation and usage.

Specific Safety Precautions for Use

- **Recoil Management:** The FRC compensator is designed to reduce recoil. However, always maintain a firm grip on your firearm to ensure control during firing.
- **Flash Suppression:** While the compensator effectively reduces flash, be aware of your surroundings to avoid startling others.
- **Overpressure Awareness:** The compensator redirects gases and can create overpressure. Ensure that bystanders are at a safe distance when firing.
- **Compatibility Check:** Verify that the compensator fits your firearm's specifications, including caliber and thread size, before installation.
- **Shooting Environment:** Always use the compensator in a safe and controlled environment, such as a shooting range.

Instructions for Installation and Usage

Installation

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools for installation (if applicable).

2. Installation Steps:

- Align the compensator with the muzzle threads of your firearm.
- Rotate the compensator clockwise until it is securely attached.
- Use a wrench to tighten if necessary, but do not overtighten, as this may damage the threads.

3. Final Check:

- Ensure the compensator is securely attached and does not wobble.
- Perform a function check by cycling the action of your firearm without ammunition.

Usage

- Always follow safe shooting practices.
- Be aware of the compensator's function and how it may affect your shooting experience.
- After each shooting session, inspect the compensator for wear and tear.

Disposal Instructions

- Dispose of the compensator in accordance with local regulations.
- If the compensator is damaged or no longer usable, contact local waste management for proper disposal methods.
- Do not dispose of the compensator in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the FRC 308 Caliber TwoPort Compensator, please refer to the manufacturer's website or contact customer support. Always ensure that you have the most current information regarding safety and product updates.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable shooting experience with the FRC 308 Caliber TwoPort Compensator. Your safety and the safety of others is paramount. Thank you for choosing our product, and happy shooting!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at