

ULTIMATE BUILDER S KIT FOR GLOCK GEN 3-4 - TIMNEY ULTIMATE BUILDER'S KIT FOR GLOCK GEN 3-4

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

ULTIMATE BUILDER'S KIT FOR GLOCK GEN 3-4 Starting with Timney's Alpha Competition trigger platform, the Ultimate Builder's Kit (UBK) for Glock Gen 3-4 also includes a striker, striker spring, connector, safety plunger, and safety plunger spring. The striker, made from stainless steel, matches the geometry of the Alpha Competition sear, while the safety plunger matches the geometry of the Alpha Competition trigger bar and is made from tool steel. All Ultimate Builder's Kit parts are heat treated and NP3 coated for durability and increased lubricity. With a factory set pull weight of 2.5 to 3 pounds, the Timney Alpha Competition UBK trigger kit answers the call for a trigger that maintains the feel of a Timney Trigger all while upholding the dependability of the Glock system. Through an improved trigger design, Timney has created an upgraded trigger that retains the reliability of the Glock while offering a lighter pull weight and a smoother feel from the UBK. SPECIFICATIONS: COMPATIBLE WITH: Medium frame, double stack Gen 3-4 PULL WEIGHT: 2.5 - 3lbs. STRIKER: Stainless steel with NP3 coating CONNECTOR: Stainless steel with NP3 coating SAFETY PLUNGER: Tool steel with NP3 coating TRIGGER ASSEMBLY: Alpha Competition Gen 3-4 trigger



ULTIMATE BUILDER'S KIT FOR GLOCK GEN 3-4 Starting with Timney's Alpha Competition trigger platform, the Ultimate Builder's Kit (UBK) for Glock Gen 3-4 also includes a striker, striker spring, connector, safety plunger, and safety plunger spring. The striker, made from stainless steel, matches the geometry of the Alpha Competition sear, while the safety plunger matches the geometry of the Alpha Competition trigger bar and is made from tool steel. All Ultimate Builder's Kit parts are heat treated and NP3 coated for durability and increased lubricity. With a factory set pull weight of 2.5 to 3 pounds, the Timney Alpha Competition UBK trigger kit answers the call for a trigger that maintains the feel of a Timney Trigger all while upholding the dependability of the Glock system. Through an improved trigger design, Timney has created an upgraded trigger that retains the reliability of the Glock while offering a lighter pull weight and a smoother feel from the UBK. SPECIFICATIONS: COMPATIBLE WITH: Medium frame, double stack Gen 3-4 PULL WEIGHT: 2.5 - 3lbs. STRIKER: Stainless steel with NP3 coating CONNECTOR: Stainless steel with NP3 coating SAFETY PLUNGER: Tool steel with NP3 coating TRIGGER ASSEMBLY: Alpha Competition Gen 3-4 trigger

Attributes

- Name: [TIMNEY ULTIMATE BUILDER'S KIT FOR GLOCK GEN 3-4](#)
- Manufacturer: [TIMNEY](#)
- Product no.: 430109583
- Mfr. No.: ALPHA GLOCK 3-4-UBK-BLACK
- Finish: Red
- Model: Gen 3
- Style: Factory Replacement
- Weapon type: Glock
- Delivery weight: 0.454kg
- Shipping height: 203mm
- Shipping width: 127mm

- Shipping length: 51mm
- UPC: 081950763641

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [ULTIMATE BUILDER'S KIT FOR GLOCK GEN 34 Safety Instruction Guide](#)
- [About Us](#)

ULTIMATE BUILDER'S KIT FOR GLOCK GEN 34

Safety Instruction Guide

Introduction

Thank you for purchasing the ULTIMATE BUILDER'S KIT FOR GLOCK GEN 34 by Timney. This product is designed to enhance the performance of your Glock firearm while ensuring safety and reliability. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always follow local laws and regulations regarding firearm modifications and usage.
- Ensure that the firearm is unloaded before beginning any installation or maintenance work.
- Use the ULTIMATE BUILDER'S KIT only with Glock Gen 3 and Gen 4 models.
- Store all components in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the kit and your firearm for any signs of wear or damage.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the kit is compatible with your specific Glock model (Gen 3 or Gen 4).
- **Installation:** Follow all installation instructions carefully to avoid improper assembly, which could lead to malfunction.
- **Pull Weight:** Be aware that the factory set pull weight is between 2.5 to 3 pounds. Adjustments to this weight should only be made by qualified personnel.
- **Handling:** Always treat your firearm as if it is loaded, even when you believe it to be unloaded.
- **Maintenance:** Regularly clean and lubricate parts as recommended to maintain optimal performance and safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components from the ULTIMATE BUILDER'S KIT.
- Ensure you are in a welllit and secure area for installation.

2. Disassembly of Firearm:

- Ensure the firearm is unloaded.
- Follow the manufacturer's guidelines to safely disassemble your Glock.

3. Installation of Kit Components:

- **Striker:** Replace the factory striker with the stainless steel striker included in the kit. Ensure proper alignment with the Alpha Competition sear.
- **Striker Spring:** Install the new striker spring, ensuring it is securely in place.
- **Connector:** Replace the factory connector with the stainless steel connector from the kit.
- **Safety Plunger:** Install the tool steel safety plunger, ensuring it matches the geometry of the Alpha Competition trigger bar.
- **Safety Plunger Spring:** Install the new safety plunger spring, ensuring it is properly seated.
- **Trigger Assembly:** Install the Alpha Competition trigger assembly as per the provided instructions.

4. Reassembly of Firearm:

- Carefully reassemble your Glock following the manufacturer's guidelines.
- Ensure all components are correctly installed and secured.

5. Testing:

- After reassembly, conduct a function test in a safe environment to ensure proper operation.
- Check the trigger pull weight and ensure it is within the specified range of 2.5 to 3 pounds.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not discard firearm parts in regular household waste. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the ULTIMATE BUILDER'S KIT FOR GLOCK GEN 34, please refer to the manufacturer's website or contact their support team directly for assistance.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation. Enjoy your enhanced Glock experience with the ULTIMATE BUILDER'S KIT.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk