

MARLIN 1895 ELG MLOK HANDGUARDS - MAGPUL ELG HAND GUARD M-LOK FOR MARLIN 1895 OD GREEN

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The Enhanced Lever Gun (ELG) M-LOK Hand Guard is a lever-action handguard designed to optimize the functionality of the Marlin 1895-pattern series of lever-action rifles. The handguard is 12" long and attaches to the firearm using a patented mechanism that only requires the user to remove the OEM or other manufactured hand guard and end cap. The ELG Handguard has six (6) M-LOK slots at the 3, 6, and 9 o'clock positions for mounting a host of accessories to help shooters make the most out of their classic hunting or home-defense rig. If a shooter wants the adaptability of the M-LOK system but wants to keep the firearm's clean look while improving purchase on the gun when firing modern, heavy-recoiling .45-70 Gov't rounds, the ELG Handguard is compatible with both Type 1 and Type 2 Rail Covers. The ELG has an integrated hand stop at the front of the handguard. The ELG Hand Guard currently fits ONLY Marlin 1895-pattern guns with the hand guard retaining cap. It will not fit 1894/336 pattern guns without modifications and will require a dovetail hand guard tenon to be added to any gun using a barrel band to retain the OEM hand guard. Quick and easy installation M-LOK slots to mount accessories Integrated handstop for safety and improved accuracy 12" length Made in the USA. COMPATIBILITY The ELG hand guard currently fits ONLY Marlin 1895-pattern guns, including pre-Ruger and Remington-built Marlin rifles, with the hand guard retaining cap. It will not fit 1894/336 pattern guns without modifications and will require a dovetail hand guard tenon to be added to any gun using a barrel band to retain the OEM hand guard.



Attributes

- Name: [MAGPUL ELG HAND GUARD M-LOK FOR MARLIN 1895 OD GREEN](#)
- Manufacturer: [MAGPUL](#)
- Product no.: 430110094
- Mfr. No.: MAG1381-ODG
- Colour: Olive Drab Green
- Length: 12"
- Material: Polymer
- Type: M-LOK
- Delivery weight: 0.354kg
- Shipping height: 330mm
- Shipping width: 76mm
- Shipping length: 76mm
- UPC: 840815147800

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MARLIN 1895 ELG MLOK Handguards](#)
- [About Us](#)

Safety Instruction Guide for MARLIN 1895 ELG MLOK Handguards

Introduction

Thank you for choosing the MARLIN 1895 ELG MLOK Handguards by MAGPUL. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your handguard. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that you are familiar with the operation and handling of your Marlin 1895 pattern rifle before installing the handguard.
- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Keep the handguard and firearm out of reach of children and unauthorized users.
- Inspect the handguard for any damage or defects before installation. Do not use if damaged.
- Ensure that all accessories mounted on the handguard do not interfere with the operation of the firearm.
- Be aware of your surroundings when using the firearm to prevent accidents and injuries.
- Follow all local laws and regulations regarding firearm usage and modifications.

Specific Safety Precautions for Use

- Only use the ELG Handguard with Marlin 1895 pattern rifles that have the handguard retaining cap.
- Do not attempt to fit the handguard to 1894/336 pattern guns without appropriate modifications.
- Ensure that the handguard is securely attached before use. Loose components can lead to accidents.
- Use the integrated hand stop to improve grip and control when firing.
- When mounting accessories using the MLOK slots, ensure they are securely fastened to prevent them from falling off during use.
- If you experience any malfunctions or issues while using the firearm with the handguard, stop using it immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a screwdriver and any required mounting hardware.

2. Removing the OEM Handguard:

- Carefully remove the original handguard and end cap from your Marlin 1895 pattern rifle.
- Set aside the OEM handguard and end cap for potential future use.

3. Installing the ELG Handguard:

- Align the ELG Handguard with the mounting points on the rifle.
- Attach the handguard using the patented mechanism, ensuring it is securely fastened.
- Verify that the handguard is firmly in place by gently tugging it to check for any movement.

4. Mounting Accessories:

- Identify the desired MLOK slots for accessory mounting.

- Attach accessories according to the manufacturer's instructions, ensuring they are securely fastened.

5. Final Checks:

- Perform a final inspection of the handguard and mounted accessories to ensure everything is secure.
- Familiarize yourself with the new handguard setup before taking the firearm to a shooting range.

Disposal Instructions

- When the ELG Handguard reaches the end of its life cycle, dispose of it in accordance with local regulations regarding plastic waste.
- Do not discard the handguard in regular household waste. Instead, consider recycling options available in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the MARLIN 1895 ELG MLOK Handguards, please refer to the manufacturer's contact details provided at the time of purchase or on the packaging.

Thank you for your attention to these safety guidelines. Proper usage and care will ensure that you enjoy the enhanced functionality of your MARLIN 1895 ELG MLOK Handguards safely and effectively.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk