

XL TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® - AMERIGLO XL OPT COMP SIGHTS TRIT/ORANGE OL .315" F/.394" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. Fits: All Glock® MOS Models These XL height sights from Ameriglo are optimized for the Glock Gen4/5 MOS Slide for use with Aimpoint Acro, Holosun 509T and Steiner MPS optics. These sights will allow for use through the optic window. SPECS Fits Make: Glock® Fits Model: All Glock MOS Models Size: XL Fits MOS Slide: Yes Front Sight Style: Tritium Front Sight Finish: Case Hardened Front Tritium Color: Green Front Outline Color: Orange, Lumigreen or Black Front Blade Width: 0.125 in. (3.18mm) Front Blade Height: 0.315 in. (8mm) Rear Sight Style: Flat Black Rear Notch Shape: Square Rear Sight Finish: Case Hardened Rear Blade Height: 0.314 in. (7.98mm) Overall Rear Height: 0.394 in. (10.01mm) Rear Notch Width: 0.15 in. (3.81mm) SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



Attributes

- Name: [AMERIGLO XL OPT COMP SIGHTS TRIT/ORANGE OL .315" F/.394" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110311
- Mfr. No.: GL-511
- Sight Color: Tritium
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406904625

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for XL TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® AMERIGLO XL OPT COMP SIGHTS TRIT/ORANGE OL .315" F/.394" R FOR GLOCK
- About Us

Safety Instruction Guide for XL TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® AMERIGLO XL OPT COMP SIGHTS TRIT/ORANGE OL .315" F/.394" R FOR GLOCK

Introduction

Thank you for purchasing the XL Tall Optic Compatible Tritium Sight Set for Glock from AMERIGLO. This product is designed to enhance your shooting experience by providing a precise sight picture for slidemounted red dot optics. To ensure your safety and the effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is compatible with your specific Glock model before use.
- Always handle firearms and related accessories with care.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sight set for any signs of damage or wear.
- Do not attempt to modify or alter the product in any way.
- If you experience any issues with the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the sight set.
- Follow all manufacturer instructions when installing the sight set.
- Use appropriate tools and equipment to avoid damage during installation.
- Be aware of your surroundings when using firearms equipped with this sight set.
- Ensure that the sight is securely mounted before use to prevent accidents.
- If using the sight in lowlight conditions, ensure that the tritium illumination is functioning correctly.

Instructions for Installation and Usage

Installation

1. **Prepare Your Glock:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Remove Existing Sights:** Use appropriate tools to carefully remove any existing sights from the slide.
3. **Install Front Sight:**
 - Align the front sight with the designated dovetail slot on the slide.
 - Secure it in place using the appropriate tool, ensuring it is firmly seated.
4. **Install Rear Sight:**
 - Align the rear sight with the designated dovetail slot on the slide.
 - Secure it in place, making sure it is level and properly aligned with the front sight.
5. **Check Alignment:** After installation, check the alignment of both sights to ensure they provide a cowitness sight picture.
6. **Test Functionality:** Conduct a function test to ensure the sights are securely mounted and properly aligned before use.

Usage

- Aim your firearm with both eyes open for optimal sight alignment.
- Utilize the tritium illumination for lowlight shooting situations.
- Regularly practice to familiarize yourself with the sight picture and adjust your shooting technique as

needed.

Disposal Instructions

- Follow local regulations for the disposal of firearms accessories.
- If the sight set is damaged beyond repair, dispose of it in a manner that prevents unauthorized use.
- Recycle materials where possible, adhering to local recycling guidelines.

Contact Information for Further Support

For any inquiries or concerns regarding the product, please refer to the manufacturer's contact information provided with your purchase. It is recommended to keep this guide for future reference.

Conclusion

By adhering to the safety guidelines and instructions provided in this guide, you can ensure a safe and effective experience with your XL Tall Optic Compatible Tritium Sight Set for Glock. Always prioritize safety when handling firearms and accessories. Thank you for choosing AMERIGLO.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk