

XL TALL OPTIC COMPATIBLE TRITIUM SIGHT SET FOR GLOCK® - AMERIGLO XL OPT COMP SIGHTS TRIT/LUMIGREEN OL .315" F/.394" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. Fits: All Glock® MOS Models These XL height sights from Ameriglo are optimized for the Glock Gen4/5 MOS Slide for use with Aimpoint Acro, Holosun 509T and Steiner MPS optics. These sights will allow for use through the optic window. SPECS Fits Make: Glock® Fits Model: All Glock MOS Models Size: XL Fits MOS Slide: Yes Front Sight Style: Tritium Front Sight Finish: Case Hardened Front Tritium Color: Green Front Outline Color: Orange, Lumigreen or Black Front Blade Width: 0.125 in. (3.18mm) Front Blade Height: 0.315 in. (8mm) Rear Sight Style: Flat Black Rear Notch Shape: Square Rear Sight Finish: Case Hardened Rear Blade Height: 0.314 in. (7.98mm) Overall Rear Height: 0.394 in. (10.01mm) Rear Notch Width: 0.15 in. (3.81mm) SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



Attributes

- Name: [AMERIGLO XL OPT COMP SIGHTS TRIT/LUMIGREEN OL .315" F/.394" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110312
- Mfr. No.: GL-611
- Sight Color: Tritium
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406904632

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for XL Tall Optic Compatible Tritium Sight Set for Glock
- About Us

Safety Instruction Guide for XL Tall Optic Compatible Tritium Sight Set for Glock

Introduction

Thank you for choosing the XL Tall Optic Compatible Tritium Sight Set from AMERIGLO. This guide provides important safety information and instructions for the proper use of your sight set. Please read this guide carefully to ensure safe and efficient operation.

General Safety Guidelines

- **Product Safety:** Ensure the safe use of this sight set by following all instructions provided. This product is designed for use with Glock MOS models only.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. If you receive a recall notice, follow the instructions provided for safe return or remedy.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety requirements and provides accurate product information.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure it is stored out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the contact information included with your product packaging or on the manufacturer's website.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Risk of Injury:** Improper installation or usage of the sight set may result in injury. Ensure proper installation as detailed in this guide.
- **Use with Compatible Models:** This sight set is designed specifically for Glock MOS models. Do not attempt to use with other firearm models.
- **Avoid Modifications:** Do not modify the sight set or firearm. Any alterations may compromise safety and performance.
- **Check for Damage:** Before installation, inspect the sight set for any visible damage. Do not use if damaged.
- **Proper Handling:** Handle the sight set with care. Avoid dropping or exposing it to extreme conditions, which may affect its performance.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing sights from your Glock MOS slide according to the manufacturer's instructions.
- Align the front sight with the designated mounting area on the slide and secure it using the provided screws.
- Install the rear sight in the same manner, ensuring it is properly aligned and secured.
- Verify that both sights are firmly attached and do not move.

2. Usage:

- Familiarize yourself with the sight picture through the optic window before firing.
- Practice using the sights in a controlled environment to ensure accurate aiming.
- Regularly check the alignment and condition of the sights to ensure optimal performance.

Disposal Instructions

- Dispose of the sight set responsibly. Do not discard in regular household waste.
- Follow local regulations for the disposal of firearm accessories.
- If the sight set is damaged or no longer needed, consider returning it to the manufacturer or a licensed dealer for proper disposal.

Contact Information for Further Support

For any questions or concerns regarding the XL Tall Optic Compatible Tritium Sight Set, please refer to the contact information provided with your product packaging or visit the manufacturer's website for additional support.

By following these safety instructions, you can ensure a safe and enjoyable experience with your XL Tall Optic Compatible Tritium Sight Set. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk