

3XL OPTIC COMPAT TRIT SIGHTS FOR GLOCK® (EXCLUDES 42,43,48) - AMERIGLO 3XL OPT COMP 3DOT SIGHTS TRIT/WHT OL .365" F/.451" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. These 3XL height sights from Ameriglo are optimized for the Glock Gen4/5 MOS Slide for use with Holosun 407C/507C/508T, Trijicon, RMR®/RMR HD®, RCR®/SRO®, EOTech EFLX optics. These sights will allow for use through the optic window. SPECS Fits Make: Glock® Fits Model: All Glock MOS Models (excluding 42, 43, 48) Size: 3XL Fits MOS Slide: Yes Front Sight Style: Tritium Front Sight Finish: Case Hardened Front Tritium Color: Green Front Outline Color: White Front Blade Width: 0.125 in. (3.18mm) Front Blade Height: 0.365 in. (9.27mm) Rear Sight Style: 2-Dot Tritium Rear Notch Shape: Square Rear Sight Finish: Case Hardened Rear Tritium Color: Green Rear Outline Color: White, Black Rear Blade Height: 0.371 in. (9.42mm) Overall Rear Height: 0.451 in. (11.46mm) Rear Notch Width: 0.15 in. (3.81mm) SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



Attributes

- Name: [AMERIGLO 3XL OPT COMP 3DOT SIGHTS TRIT/WHT OL .365" F/.451" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110316
- Mfr. No.: GL-349
- Sight Color: Tritium
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.054kg
- Shipping height: 25mm
- Shipping width: 140mm
- Shipping length: 178mm
- UPC: 644406910619

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 3XL Optic Compatible Tritium Sights for Glock®
- About Us

Safety Instruction Guide for 3XL Optic Compatible Tritium Sights for Glock®

Introduction

Thank you for choosing the AMERIGLO 3XL Optic Compatible Tritium Sights for your Glock® firearm. This guide provides essential safety instructions and guidelines for the safe use, installation, and disposal of these sights. Please read this guide carefully to ensure safe handling and operation.

General Safety Guidelines

- **Product Safety:** These sights are designed for safe use with Glock® firearms. Ensure you follow all safety instructions to prevent accidents.
- **Enhanced Recalls:** Stay informed about any recalls related to this product. If a recall occurs, follow the instructions provided for returns or exchanges.
- **Online Shopping:** If you purchased this product online, ensure that the retailer meets EU safety requirements. Always verify the product's authenticity.
- **Special Consumer Focus:** Keep these sights out of reach of children and ensure that they are used only by individuals familiar with firearms.
- **EU Contact Point:** For any safety inquiries, refer to the EU contact point relevant to your location.
- **Rapid Alerts:** Regularly check the EU Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the sights are compatible with your specific Glock® model (excluding models 42, 43, and 48).
- **Installation:** Follow the installation instructions carefully to avoid improper fitting that could affect sight accuracy.
- **Handling:** Always treat your firearm as if it is loaded. Never point it at anything you do not intend to shoot.
- **Maintenance:** Regularly inspect the sights for any signs of damage or wear. Replace them if they are compromised.
- **Storage:** Store your firearm and sights in a secure location, away from unauthorized users and children.
- **Training:** Ensure that you are trained in the safe handling and operation of firearms before using the sights.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, such as a screwdriver and any specific tools recommended by the manufacturer.

2. Installation:

- Remove the existing sights from your Glock® firearm according to the manufacturer's instructions.
- Align the new AMERIGLO sights with the mounting points on the slide.
- Securely fasten the sights in place, ensuring they are properly aligned for optimal accuracy.
- Check that the sights are stable and do not move when adjusted.

3. Usage:

- After installation, test the sights at a safe shooting range.
- Adjust the sights as necessary to ensure a clear sight picture through the optic window.
- Familiarize yourself with the sight picture and practice using the sights in various lighting conditions.

Disposal Instructions

- **Disposal of Old Sights:** If replacing old sights, dispose of them in accordance with local regulations for electronic waste and firearm accessories.
- **Packaging:** Recycle packaging materials where possible. Follow local guidelines for disposal of packaging waste.

Contact Information for Further Support

For any questions or concerns regarding the AMERIGLO 3XL Optic Compatible Tritium Sights, please refer to the manufacturer's website or consult the retailer where you purchased the product.

By following these safety instructions, you can ensure a safe and effective experience with your new sights. Thank you for prioritizing safety and responsible firearm ownership.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk