

# TALL TRITIUM NIGHT SIGHT SETS FOR GLOCK®

## 17/19/20/21/22/26/34 - BROWNELLS 3XL-TALL SIGHT SET TRIT-WHT OL.365"F/SERRATE .451"R GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

Brownells Tall Tritium Night Sight Sets for Glock® Tall Tritium Night Sight Sets are intended for use with Brownells slides, but will work perfect on any standard Glock® firearm with standard sight Glock® cuts. Front serrated sights include a premium tritium insert with a white outline, making it easy to pick up. The rear sights are also serrated, and feature a U-Notch rear cut, making placement of the front sight in the notch quick and intuitive. Various heights allow you to optimize your sight set with your preferred red dot. Model Selection: 1L - Glock® 43x/48 with Holosun® 507k/407k, EPS Carry or Vortex® Defender - Slimmer width rear sight but still fits 17/19 width rear sight cut. With Holosun EPS on a standard Glock MOS this will result in a lower 1/3 co-witness. XL - Glock® Gen 3/4/5 with Aimpoint® Acro®, Holosun 509T or Steiner® MPS 3XL - Glock® Gen 3/4/5 with Holosun 407C/507C/508T, Trijicon® RMR®/RMR HD®/RCR®/SRO® or EOTech® EFLX Heights: 1L - .220" Front / .295" Rear XL - .315" Front / .394" Rear 3XL - .365" Front / .451" Rear

DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit [www.glock.com](http://www.glock.com).



### Attributes

- Name: [BROWNELLS 3XL-TALL SIGHT SET TRIT-WHT OL.365"F/SERRATE .451"R GLOCK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430110331
- Mfr. No.: GL-859
- Sight Color: Tritium
- Style: U Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406914310

### Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Tall Tritium Night Sight Sets for Glock®](#)
- [About Us](#)

# Safety Instruction Guide for Tall Tritium Night Sight Sets for Glock®

## Introduction

Thank you for choosing the Tall Tritium Night Sight Sets for your Glock® firearm. This guide provides essential safety instructions to ensure the proper and safe use of your product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as specified in this manual.
- Always handle firearms safely and responsibly. Follow all local laws and regulations regarding firearm ownership and usage.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the sights for any signs of damage or wear. If damaged, discontinue use immediately.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Use only with firearms that have standard Glock® sight cuts to ensure a proper fit.
- Avoid using the sights if they appear to be defective or if you notice any unusual behavior during use.
- Be aware that the tritium inserts may fade over time; replace the sights when visibility is compromised.
- Ensure proper alignment of the front and rear sights for optimal accuracy and safety during shooting.
- Always verify that your firearm is unloaded before installing or adjusting the sights.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a sight pusher or appropriate punch tool.

### 2. Installation:

- Remove the existing sights from your Glock® firearm using the sight pusher or punch tool.
- Align the front sight with the designated cut on the slide. Press or tap it into place gently.
- Align the rear sight with the rear sight cut. Ensure that it is properly seated and centered.
- Check the alignment of both sights to ensure they are straight and level.

### 3. Usage:

- When aiming, align the front sight within the UNotch of the rear sight.
- Practice regularly to become familiar with the sight picture and improve accuracy.
- Adjust your shooting stance and grip as necessary to accommodate the new sight set.

### 4. Maintenance:

- Clean the sights regularly to remove dirt and debris.
- Inspect the tritium inserts periodically for any signs of fading or damage.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations for hazardous materials.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for proper disposal methods.

## **Contact Information for Further Support**

For safety inquiries or additional support regarding the Tall Tritium Night Sight Sets, please refer to the manufacturer's website or customer service resources.

By following these guidelines and precautions, you can ensure the safe and effective use of your Tall Tritium Night Sight Sets for Glock®. Thank you for prioritizing safety in your shooting experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)