

COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43® - COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 43

Fully Assembled, Complete Slide Assembly for New Builds or Upgrading Your Factory G43 Ready to build a new custom pistol or just upgrade your current Glock® 43? Top it off with our Complete Slide Assembly for Glock® 43, available in three configurations: with a premium match-quality barrel, a ½"-28 tpi threaded barrel to accept a sound suppressor, or with a ported barrel that vents through a window in the top of the slide to counteract muzzle rise and help you keep the sights on the target for subsequent shots. No need to install a bulky compensator on the muzzle, so your new comped pistol will still fit standard holsters for the Glock® 43. These slides come fully assembled with the barrel and all the internal small parts installed, making this RMR Slide the ideal upgrade for your factory Glock® 43 pistol or the perfect "top half" for a brand-new custom gun built on a compatible frame from another manufacturer. It features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Holosun 407K footprint (adapter plates are available separately for RMR sights). If you're not mounting a red dot at the moment, we've included a lightweight reinforced polymer cover plate to neatly fill the slot. This slide comes with standard-height front and rear sights, which can serve as your primaries or a backup "iron" sights when paired with a red dot sight. Comes COMPLETE with barrel, front & rear sights, and small parts installed Fits Glock® 43 pistols & clones Built-in mounting slot for reflex sights with the Holosun 407k footprint Optic slot cover plate & recoil spring assembly also included Slide machined from 416 stainless steel billet, with a Black Nitride finish Choice of Solid top slide with standard barrel or ½"-28 tpi threaded barrel, OR distinctive top Window slide with ported/compensated barrel Each of our slides for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, with a tough, extremely wear-resistant black Nitride finish. This slide fits standard Glock® factory G43 frames and compatible aftermarket frames. The match-quality barrel is machined from premium 416R stainless steel alloy. The muzzle of the threaded barrel has standard ½"-28 tpi threads. The ported barrel has eight ports angled to provide just the right counterforce to muzzle rise. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirrored set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. Hey, we have to admit these serrations just look very cool, too! Whether you're assembling a custom pistol to meet specific needs, or you're upgrading a factory Glock 43 for enhanced performance and versatility, a Brownells complete slide assembly is helps you complete your project quickly and easily! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



Attributes

- Name: COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 43
- Manufacturer: BROWNELLS
- Product no.: 430111302
- Mfr. No.: G43-SAB
- Cartridge: 9 mm Luger
- Finish: Black
- Make: Glock
- Model: 43
- Sights: Holosun 507K,Holosun 407K
- Style: Assembled
- Delivery weight: 0.454kg
- UPC: 050806001565

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43](#)
- [Italiano: Guida alla Sicurezza del Prodotto per Assemblaggi Completi della Slitta per Glock 43](#)
- [Svenska: Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 43](#)

Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43

Introduction

Thank you for choosing the COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43. This product is designed for enhancing the performance of your Glock 43 pistol. To ensure your safety and the safety of others, please read this guide carefully. It contains important safety information, installation instructions, and guidelines for proper use.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store the firearm and ammunition in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your firearm and slide assembly for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Be aware of your surroundings and ensure that you have a clear and safe shooting area.

Specific Safety Precautions for Use

- Ensure that the slide assembly is compatible with your Glock 43 model.
- Only use ammunition specified for the Glock 43, specifically 9 mm Luger.
- Be cautious when handling the slide assembly, as it may have sharp edges.
- If you are not familiar with firearm assembly or disassembly, seek assistance from a qualified gunsmith.
- Always wear appropriate eye and ear protection when shooting.
- Do not attempt to modify the slide assembly or any of its components.

Instructions for Installation and Usage

1. **Ensure Safety:** Before beginning installation, ensure that the firearm is unloaded and pointed in a safe direction.
2. **Remove the Existing Slide:** Follow the manufacturer's instructions to safely remove the existing slide from your Glock 43.
3. **Install the Complete Slide Assembly:**
 - Align the new complete slide assembly with the frame of your Glock 43.
 - Slide it into place until it locks securely.
4. **Check Functionality:**
 - Ensure that the slide operates smoothly.
 - Check that the barrel is properly seated and that the recoil spring assembly is correctly installed.
5. **Sight Alignment:** If you are using a reflex sight, mount it according to the manufacturer's instructions, using the precut slot for secure attachment.
6. **Test Fire:** Before using the firearm for any serious shooting, conduct a test fire in a safe and controlled environment to ensure proper function.
7. **Regular Maintenance:** Clean and maintain the slide assembly regularly to ensure optimal performance.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the slide assembly becomes damaged or worn beyond safe use, do not attempt to repair it. Instead, follow local regulations for the disposal of firearms and firearm components.

Contact Information for Further Support

For any questions or concerns regarding the COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43, please refer to the manufacturer's contact information provided with your purchase. Ensure you have the product details on hand for a more efficient response.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of your COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43. Always prioritize safety, and do not hesitate to seek professional assistance if needed. Enjoy your enhanced shooting experience!

Guida alla Sicurezza del Prodotto per Assemblaggi Completi della Slitta per Glock 43

Introduzione

Grazie per aver scelto il nostro Assemblaggio Completo della Slitta per Glock 43. Questa guida fornisce importanti informazioni sulla sicurezza, l'installazione e l'uso del prodotto. Si prega di leggere attentamente queste istruzioni per garantire un utilizzo sicuro e corretto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il prodotto solo per l'uso previsto, come descritto nelle istruzioni.
- Controlla il prodotto per eventuali danni o difetti prima dell'uso. Non utilizzare se il prodotto è danneggiato.
- Tieni il prodotto lontano dalla portata dei bambini e degli animali domestici.
- Utilizza sempre protezioni adeguate (occhiali, guanti) durante l'installazione e l'uso.
- Segui tutte le leggi e i regolamenti locali riguardanti l'uso delle armi da fuoco.

Precauzioni di Sicurezza Specifiche per l'Utilizzo

- Non utilizzare il prodotto se non sei addestrato all'uso di armi da fuoco.
- Evita di maneggiare l'arma se sei sotto l'influenza di alcol o droghe.
- Non puntare mai l'arma verso te stesso o verso altre persone.
- Assicurati che l'arma sia scarica durante l'installazione o la manutenzione.
- Controlla sempre il funzionamento del mirino e della slitta prima di ogni utilizzo.

Istruzioni per l'Installazione e l'Uso

1. Preparazione:

- Assicurati di avere a disposizione tutti gli strumenti necessari per l'installazione.
- Lavora in un'area ben illuminata e priva di distrazioni.

2. Installazione:

- Rimuovi la slitta esistente dalla tua Glock 43 seguendo le istruzioni del produttore.
- Posiziona il nuovo Assemblaggio Completo della Slitta sulla tua Glock 43.
- Fissa la slitta utilizzando le viti fornite. Assicurati che siano serrate correttamente.
- Se stai installando un mirino reflex, utilizza la fessura pretagliata per un montaggio sicuro.

3. Controllo Finale:

- Dopo l'installazione, controlla che tutti i componenti siano saldamente fissati.
- Esegui un test di funzionamento dell'arma per assicurarti che tutto funzioni correttamente.

4. Utilizzo:

- Segui le linee guida generali di sicurezza durante l'uso dell'arma.
- Esegui controlli regolari sulla slitta e sui mirini per garantire il corretto funzionamento.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento di prodotti e materiali di scarto.
- Non gettare il prodotto nell'ambiente. Contatta un centro di raccolta rifiuti per informazioni sullo smaltimento corretto.

Informazioni di Contatto per Ulteriore Supporto

Per qualsiasi domanda o preoccupazione riguardante la sicurezza del prodotto, si prega di contattare il proprio rivenditore o produttore. Assicurati di avere a disposizione il numero di modello e la prova di acquisto.

Conclusione

La tua sicurezza e quella degli altri è la nostra priorità. Seguendo queste istruzioni e rispettando le linee guida di sicurezza, puoi garantire un utilizzo sicuro e responsabile del tuo Assemblaggio Completo della Slitta per Glock 43. Grazie per la tua attenzione e buon divertimento con il tuo nuovo prodotto!

Säkerhetsinstruktioner för COMPLETE SLIDE ASSEMBLIES FÖR GLOCK 43

Introduktion

Tack för att du valt Brownells COMPLETE SLIDE ASSEMBLY för din Glock 43. Denna produkt är designad för att ge hög prestanda och säkerhet. Läs noggrant igenom dessa säkerhetsinstruktioner innan du använder produkten för att säkerställa en säker och korrekt användning.

Allmänna säkerhetsriktlinjer

- Kontrollera alltid att produkten är i gott skick innan användning.
- Använd produkten endast för avsett syfte.
- Håll produkten utom räckhåll för barn och andra som inte är utbildade i säker vapenhantering.
- Följ alltid lokala lagar och förordningar angående vapen och tillbehör.
- Rapportera eventuella defekter eller säkerhetsproblem till relevanta myndigheter.

Specifika säkerhetsåtgärder för användning

- Använd alltid skyddsglasögon och hörselskydd när du hanterar din pistol.
- Kontrollera att vapnet är avsäkrat innan du installerar eller använder slideassemblyn.
- Se till att pipan är ordentligt installerad och att alla smådelar är på plats innan användning.
- Undvik att använda ammunition som inte är kompatibel med Glock 43.
- Använd inte produkten om den har skador eller om det finns tecken på slitage.

Instruktioner för installation och användning

1. Installation av slideassembly:

- Ta bort den gamla slidern från din Glock 43 genom att följa tillverkarens instruktioner.
- Kontrollera att alla komponenter är rena och fria från skräp.
- Placera den nya slideassemblyn på den kompatibla ramen.
- Se till att pipan är korrekt installerad och att alla interna smådelar är på plats.
- Kontrollera att monteringslotten är fria från hinder innan du fäster eventuella reflexsikten.

2. Användning:

- När slideassemblyn är installerad, kontrollera att vapnet är avsäkrat.
- Utför en funktionstest för att säkerställa att allt fungerar som det ska.
- Vid användning, håll alltid vapnet riktat bort från dig själv och andra.

Avfallshantering

- Avfall och oanvända delar bör hanteras i enlighet med lokala avfallshanteringsföreskrifter.
- Släng inte produkten i hushållsavfall. Kontakta en lokal återvinningsstation för korrekt hantering.

Kontaktinformation för ytterligare stöd

- För frågor eller support angående produkten, vänligen kontakta tillverkaren eller återförsäljaren där produkten köptes.

Genom att följa dessa säkerhetsinstruktioner kan du säkerställa en säker och effektiv användning av din Brownells COMPLETE SLIDE ASSEMBLY för Glock 43. Tack för att du prioriterar säkerhet!