

COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43® - BROWNELL'S

COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 43

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Fully Assembled, Complete Slide Assembly for New Builds or Upgrading Your Factory G43 Ready to build a new custom pistol or just upgrade your current Glock® 43? Top it off with our Complete Slide Assembly for Glock® 43, available in three configurations: with a premium match-quality barrel, a $\frac{1}{2}$ "-28 tpi threaded barrel to accept a sound suppressor, or with a ported barrel that vents through a window in the top of the slide to counteract muzzle rise and help you keep the sights on the target for subsequent shots. No need to install a bulky compensator on the muzzle, so your new combed pistol will still fit standard holsters for the Glock® 43. These slides come fully assembled with the barrel and all the internal small parts installed, making this RMR Slide the ideal upgrade for your factory Glock® 43 pistol or the perfect "top half" for a brand-new custom gun built on a compatible frame from another manufacturer. It features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Holosun 407K footprint (adapter plates are available separately for RMR sights). If you're not mounting a red dot at the moment, we've included a lightweight reinforced polymer cover plate to neatly fill the slot. This slide comes with standard-height front and rear sights, which can serve as your primaries or a backup "iron" sights when paired with a red dot sight. Comes COMPLETE with barrel, front & rear sights, and small parts installed Fits Glock® 43 pistols & clones Built-in mounting slot for reflex sights with the Holosun 407k footprint Optic slot cover plate & recoil spring assembly also included Slide machined from 416 stainless steel billet, with a Black Nitride finish Choice of Solid top slide with standard barrel or $\frac{1}{2}$ "-28 tpi threaded barrel, OR distinctive top Window slide with ported/compensated barrel Each of our slides for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, with a tough, extremely wear-resistant black Nitride finish. This slide fits standard Glock® factory G43 frames and compatible aftermarket frames. The match-quality barrel is machined from premium 416R stainless steel alloy. The muzzle of the threaded barrel has standard $\frac{1}{2}$ "-28 tpi threads. The ported barrel has eight ports angled to provide just the right counterforce to muzzle rise. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirrored set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. Hey, we have to admit these serrations just look very cool, too! Whether you're assembling a custom pistol to meet specific needs, or you're upgrading a factory Glock 43 for enhanced performance and versatility, a Brownells complete slide assembly is helps you complete your project quickly and easily! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



Attributes

- Name: [BROWNELL'S COMPLETE SLIDE ASSEMBLY WITH BARREL FOR GLOCK 43](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 430111302

- Mfr. No.: G43-SAB
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 43
- Sights: Holosun 507K,Holosun 407K
- Style: Assembled
- Weapon type: Glock
- Delivery weight: 0.454kg
- Shipping height: 44mm
- Shipping width: 44mm
- Shipping length: 25mm
- UPC: 050806001565

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43
- About Us

Safety Instruction Guide for COMPLETE SLIDE ASSEMBLIES FOR GLOCK 43

Introduction

Thank you for choosing the COMPLETE SLIDE ASSEMBLY FOR GLOCK 43 by Brownells. This guide provides essential safety instructions to ensure the safe and effective use of your slide assembly. Please read this guide thoroughly before installation and usage to maximize safety and performance.

General Safety Guidelines

- **Product Safety:** Ensure safe handling and usage of the slide assembly. Follow all instructions carefully to minimize risks.
- **Enhanced Recalls:** Be aware of any recall notices related to your product. Stay informed about updates through the EU's Safety Gate platform.
- **Online Shopping:** If purchased online, ensure the seller complies with safety requirements. Verify that the product meets EU standards.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the designated EU contact point associated with your product.
- **Rapid Alerts:** Stay updated on any safety alerts regarding your slide assembly through the Safety Gate system.

Specific Safety Precautions for Use

- **Proper Handling:** Always handle the slide assembly with care. Avoid dropping or mishandling the product.
- **Installation:** Ensure the slide assembly is installed correctly to avoid malfunctions. Follow installation instructions closely.
- **Inspection:** Before each use, inspect the slide assembly for any signs of wear or damage. Do not use if damaged.
- **Shooting Environment:** Use the slide assembly only in a safe and controlled shooting environment. Follow all range rules and regulations.
- **Personal Protective Equipment (PPE):** Always wear appropriate PPE, including eye and ear protection, when using firearms.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before beginning installation.
- Remove the factory slide from the Glock 43 frame.
- Align the new slide assembly with the frame, ensuring proper fit.
- Securely attach the slide, ensuring all components are seated correctly.
- Install the channel liner if required, using the recommended tool (#777100017).
- Check that the slide operates smoothly before proceeding.

2. Usage:

- Load the firearm only when ready to shoot.
- Always point the firearm in a safe direction.
- Follow all standard safety protocols for firearm operation.

- If using a red dot sight, ensure it is securely mounted and adjusted before shooting.
- After shooting, clean the slide assembly and inspect for any issues.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the slide assembly reaches the end of its life, dispose of it responsibly. Contact a local waste management facility for guidance on proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the COMPLETE SLIDE ASSEMBLY FOR GLOCK 43, please refer to the designated EU contact point for safety inquiries associated with this product. Ensure to have your product details ready for efficient assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your COMPLETE SLIDE ASSEMBLY FOR GLOCK 43. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk