

SLIDES WITH RMR CUT FOR GLOCK 19® - BROWNELL'S BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Optic-Ready Enhanced Slide With Unique Ergonomic & Performance Upgrades
The Brownells RMR Slide for Glock® 19 Gen3 pistols is the ideal upgrade for your factory G19 or the perfect enhanced slide for a brand-new custom gun built on a compatible frame from another manufacturer. This slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Trijicon RMR footprint. If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our RMR Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 19 Gen3 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 19, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit standard holsters for the Glock® 19. Fits Gen3 Glock® 19 pistols & clones Built-in mounting slot for reflex sights with the Trijicon RMR footprint Factory front/rear iron sights installed Optic slot cover plate & recoil spring assembly also included
Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each RMR Slide for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G19 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 19 for enhanced versatility, a Brownells slide is the perfect component for your project! Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: [BROWNELL'S BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 430111305
- Mfr. No.: G19-SA
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19

- Sights: RMR
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.454kg
- UPC: 050806001596

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BROWNEULLS BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT
- About Us

Safety Instruction Guide for SLIDES WITH RMR CUT FOR GLOCK 19® BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 19 WITH RMR CUT

Introduction

Thank you for choosing the Brownells RMR Slide for Glock® 19 Gen3 pistols. This product is designed to enhance the performance and versatility of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use, install, and maintain your slide safely.

General Safety Guidelines

- Always treat your firearm and its components as if they are loaded.
- Ensure you are familiar with the operation of your Glock® 19 and its components before attempting to install or use the RMR Slide.
- Store the slide and firearm in a secure location, out of reach of children and unauthorized users.
- Use only compatible parts and accessories designed for your specific model of Glock®.
- Follow all local laws and regulations regarding firearm ownership and modifications.
- Regularly inspect your slide and firearm for signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or removing the slide.
- Use the provided cover plate if you are not installing a reflex sight to prevent debris from entering the mounting slot.
- When using the slide, ensure that the front and rear sights are properly aligned for accurate aiming.
- Be cautious of the slide's serrations; they are designed for grip but can cause injury if handled improperly.
- Avoid using excessive force when racking the slide or checking the chamber.
- Do not modify the slide or its components beyond the manufacturer's specifications.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock® 19 is unloaded and in a safe condition.
- Gather necessary tools, including a channel liner installation tool (#777100017).

2. Installation of the RMR Slide:

- Remove the factory slide from your Glock® 19 by following the manufacturer's instructions.
- Install the channel liner into the new slide. This is a press fit and requires the installation tool.
- Align the RMR Slide with the frame of your Glock® 19, ensuring that it is seated properly.
- Secure the slide in place by following the manufacturer's specifications for reassembly.

3. Sighting:

- If using a reflex sight, mount it in the precut slot according to the sight manufacturer's instructions.
- If not using a sight, install the included cover plate to fill the slot.

4. Testing:

- After installation, perform a function check to ensure the slide operates smoothly.
- Test the firearm in a safe and controlled environment to ensure proper function and alignment of sights.

5. Maintenance:

- Regularly clean and lubricate the slide according to the manufacturer's recommendations.
- Inspect the slide for any signs of wear or damage before each use.

Disposal Instructions

- Dispose of the slide and any packaging materials in accordance with local regulations.
- If the slide is damaged or no longer usable, do not attempt to repair it. Instead, dispose of it responsibly.

Contact Information for Further Support

For any questions or concerns regarding the installation, use, or maintenance of the Brownells RMR Slide for Glock® 19, please consult the manufacturer's website or contact their customer support for assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Brownells RMR Slide for Glock® 19. Always prioritize safety and responsible handling of firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk