

SLIDES W/ 407K CUT FOR GLOCK 43® - BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 43 WITH HOLOSUN 407K CUT

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Build a Compact Custom EDC Pistol With Integral Red Dot Sight Mount Do you want to upgrade for your factory G43 or build a brand-new custom gun on a compatible frame from another manufacturer? The Brownells Slide for Glock® 43 pistols is just the ticket for this project! Our slide features a pre-cut slot for easy, secure, low-profile mounting of a reflex red dot sight that fits the Holosun 407K footprint (adapter plates are available separately for RMR sights). If you're not mounting a red dot at the moment, we've included a lightweight polymer cover plate to neatly fill the slot. Our G43 Slide comes with standard-height front and rear sights, which can serve as your primaries or as backup "iron" sights when paired with a red dot sight. You can get your Brownells RMR Slide for Glock® 43 with the standard solid top or with a "window" cutout up front that enhances air flow to cool the barrel - ideal for hard-working action competition pistols. If you have an upgraded barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, flames, etc.) the window lets you show it off! Or install our ported barrel for Glock 43, and combustion gas venting from the barrel ports through the window will counteract muzzle rise and help you keep the sights on the target for subsequent shots. There's no need to install a bulky compensator on the muzzle, which means your new comped pistol will still fit holsters for the standard Glock® 43. Fits Glock® 43 pistols & clones Built-in mounting slot for reflex sights with the Holosun 407K footprint Optic slot cover plate & recoil spring assembly also included Factory front/rear iron sights installed Machined from 416 stainless steel billet, black Nitride finish Available with traditional Solid top or distinctive top Window cutout Each of our slides for Glock® starts life as a billet of 416 stainless steel that is machined to Glock® factory specifications inside, so it'll accept factory or aftermarket barrels and internal "small" parts. Each slide comes with a tough, wear-resistant black Nitride finish. This slide fits standard Glock® factory G43 frames and compatible aftermarket frames. On the sides at the rear, you'll find distinctive wide, shallow cocking serrations that give excellent "purchase" to rack the slide, plus a mirror set of serrations up front that aid in manipulating the slide to press-check the chamber. Both sets of serrations make it easy to manipulate your pistol's slide from any angle and in any position. And we'll admit it: these serrations just look cool, too! Whether you're doing an ambitious "built from scratch" custom pistol or you're upgrading a factory Glock 43 for enhanced versatility, a Brownells slide is the perfect component for your project!

Brownells Gun Tech™ Note: Channel liner required for these slides (#078000649). Channel liner is a press fit and requires a tool to install; we recommend #777100017.



Attributes

- Name: [BROWNELLS BRN SLIDE ASSEMBLY FOR GLOCK 43 WITH HOLOSUN 407K CUT](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430111309
- Mfr. No.: G43-SA
- Cartridge: 9 mm Luger
- Finish: Black

- Model: 43
- Sights: Holosun 407K,Holosun 507K
- Style: Stripped
- Weapon type: Glock
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 178mm
- UPC: 050806001633

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for SLIDES W/ 407K CUT FOR GLOCK 43® BROWNELLS BRN SLIDE ASSEMBLY
- About Us

Safety Instruction Guide for SLIDES W/ 407K CUT FOR GLOCK 43® BROWNEllS BRN SLIDE ASSEMBLY

Introduction

Thank you for choosing the Brownells Slide Assembly for Glock 43. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is compatible with your firearm model before installation.
- Always handle firearms with care and follow standard safety practices.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the slide for any signs of wear or damage.
- Do not use the product if it appears damaged or malfunctioning.
- Follow all local laws and regulations regarding firearm modifications and accessories.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before installing or removing the slide.
- Use appropriate protective gear, such as safety glasses, while working with firearms.
- Avoid using the slide with incompatible or substandard components.
- If you experience any issues during installation or use, consult a qualified gunsmith.
- Do not attempt to modify the slide or its components beyond the manufacturer's specifications.
- Be aware of the potential for increased recoil when using a ported barrel with this slide.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a punch tool for the channel liner.
- Ensure you have a clean, welllit workspace.

2. Installation

- Remove the factory slide from your Glock 43 by following the manufacturer's instructions.
- Install the channel liner into the new slide using the recommended tool (#777100017).
- Align the new slide with the frame and gently press it into place.
- Ensure that the slide is securely attached and functions smoothly.

3. Usage

- Before firing, ensure that the slide is properly installed and that all components are functioning correctly.
- Conduct a function check to verify that the firearm operates as intended.
- If using a reflex sight, ensure it is securely mounted according to the manufacturer's instructions.

4. Maintenance

- Regularly clean and lubricate the slide as per the manufacturer's recommendations.

- Inspect the slide for wear and tear after each use and replace if necessary.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste management regulations.
- If the slide becomes unusable, consult your local authorities for proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the product, please refer to the manufacturer's website or customer service resources. Ensure you have your product details ready for efficient assistance.

Conclusion

Following these safety instructions will help ensure a safe and enjoyable experience with your Brownells Slide Assembly for Glock 43. Always prioritize safety and responsible firearm handling. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk