

FHD FLASH HIDERS - REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 13.5X1 LH TAPER SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

FHD FLASH HIDERS These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 13.5X1 LH TAPER SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111350
- Mfr. No.: 10003
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M13.5x1LH
- Delivery weight: 0.227kg
- UPC: 850035804025

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for FHD FLASH HIDER
- About Us

Safety Instruction Guide for FHD FLASH HIDER

Introduction

Thank you for choosing the FHD FLASH HIDER by Rearden Manufacturing Group LLC. This guide provides important safety information, installation instructions, and maintenance tips to ensure the safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the FHD FLASH HIDER is installed correctly to avoid any potential hazards.
- Use an alignment rod during installation to ensure proper setup.
- Clean all surfaces thoroughly before installation to ensure a secure fit.
- Torque the muzzle device to approximately 30 ft lbs to ensure it is securely attached to the barrel.
- Avoid using the product on a Q can, as this may void your warranty.
- Regularly check for any signs of wear or damage to the product.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the muzzle device is square against the shoulder before use.
- When attaching the silencer, make sure that the threads and tapers are clean to avoid crossthreading.
- Torque the suppressor to 10 ft lbs during installation for optimal performance.
- Be aware that the nitride finish can lead to a tighter seal; therefore, proper torque and Rockset application are crucial.
- If your barrel does not have a thread relief, a shim may be required for proper installation.
- Keep the product out of reach of children and ensure it is used only by responsible adults.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools including an alignment rod, torque wrench, and Rockset.
- Ensure that the work area is clean and free of any obstructions.

2. Installation Steps

- Clean the muzzle device and barrel surfaces thoroughly.
- Align the muzzle device with the barrel using the alignment rod.
- Torque the muzzle device to approximately 30 ft lbs to secure it to the barrel.
- Ensure that the muzzle device is square against the shoulder.
- Clean the threads and tapers of the silencer before attaching.
- Attach the silencer and torque it to 10 ft lbs.
- Check for proper alignment of the silencer with the muzzle device.

3. PostInstallation Checks

- Inspect the installation to ensure that everything is secure and aligned.
- Test the product in a safe environment to ensure proper functioning.

Disposal Instructions

- Dispose of the FHD FLASH HIDER in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for guidance on the proper disposal of firearm accessories.

Contact Information for Further Support

For any inquiries or additional support regarding the FHD FLASH HIDER, please refer to the contact information provided by the manufacturer. Ensure to have your product details ready for any assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your FHD FLASH HIDER. Thank you for your attention to safety and proper usage. Enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk