

FHD FLASH HIDERS - REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 14X1 LH FACEMOUNT SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

FHD FLASH HIDERS These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 14X1 LH FACEMOUNT SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111351
- Mfr. No.: 10004
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M14x1LH
- Delivery weight: 0.227kg
- UPC: 850035804032

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FHD Flash Hiders Safety Instruction Guide](#)
- [About Us](#)

FHD Flash Hiders Safety Instruction Guide

Introduction

Thank you for choosing the FHD Flash Hider by Rearden Manufacturing Group LLC. This guide provides essential safety instructions and usage information to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the FHD Flash Hider is compatible with your firearm and meets the specifications provided.
- Always handle firearms and muzzle devices responsibly and in accordance with local laws and regulations.
- Keep the FHD Flash Hider out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before each use.
- Report any unsafe products or accidents to local authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always use an alignment rod during installation to ensure proper setup.
- Clean all surfaces before installation to avoid contamination that could affect performance.
- Ensure that the muzzle device is properly torqued to the barrel using Rockset.
- Torque the muzzle device to approximately 30 ft lbs to ensure a secure fit.
- Make sure the muzzle device is square against the shoulder before attaching the suppressor.
- When attaching the suppressor, ensure that the threads and tapers are clean to avoid crossthreading.
- Torque the suppressor to 10 ft lbs and check for proper alignment.
- Avoid using the FHD Flash Hider on a Q can, as this may void your warranty.
- If your barrel does not have a thread relief, a shim may be required for proper installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and Rockset.
- Ensure that the FHD Flash Hider is compatible with your firearm.

2. Installation:

- Clean the muzzle device and barrel threads thoroughly.
- Place the FHD Flash Hider onto the muzzle device.
- Use the alignment rod to ensure proper positioning.
- Torque the muzzle device to approximately 30 ft lbs.
- Check that the muzzle device is square against the shoulder.
- Attach the suppressor, ensuring threads and tapers are clean.
- Torque the suppressor to 10 ft lbs and confirm alignment.

3. PostInstallation:

- Inspect the installation for any visible issues.
- Test the firearm in a safe environment to ensure proper functionality.

Disposal Instructions

- Dispose of the FHD Flash Hider in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management services for guidance on proper disposal methods.

Contact Information for Further Support

For further assistance or inquiries regarding safety and usage of the FHD Flash Hider, please contact your local distributor or manufacturer. They will provide the necessary support and information.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your FHD Flash Hider. Thank you for your attention to safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk