

FHD FLASH HIDERS - REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 5/8-24 TAPER SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

FHD FLASH HIDERS These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 5/8-24 TAPER SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111353
- Mfr. No.: 10081
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850035804803

Item details

Made in USA

Table of Contents

- Startpage
- FHD Flash Hiders Safety Instruction Guide
- About Us

FHD Flash Hiders Safety Instruction Guide

Introduction

Thank you for choosing the FHD Flash Hider from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and information for the safe use and installation of your product. Please read this guide carefully to ensure proper handling and to maximize the performance of your flash hider.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use. Ensure you understand all safety instructions before use.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices regarding your product. Regularly check for updates.
- **Online Shopping Protections:** If purchased online, ensure that the seller complies with all safety regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer.
- **Rapid Alerts:** Be aware of any alerts regarding unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Torque Specifications:** Always torque the muzzle device to approximately 30 ft lbs. Ensure that it is square against the shoulder.
- **Alignment:** Use an alignment rod to verify that the entire system is set up correctly.
- **Cleaning:** Ensure that all surfaces, threads, and tapers are clean before installation.
- **Rockset Application:** Properly apply Rockset to secure the muzzle device to the barrel.
- **Warranty Notice:** Using this product with a Q can void your warranty. Use with caution.
- **Inspection:** Regularly inspect the flash hider for signs of wear or damage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and alignment rod.
- Ensure that the workspace is clean and free of debris.

2. Installation:

- Clean the muzzle device and barrel thoroughly.
- Align the muzzle device with the barrel threads.
- Torque the muzzle device to approximately 30 ft lbs.
- Ensure the muzzle device is square against the shoulder.

3. Attaching the Suppressor:

- Clean the threads and tapers of the suppressor.
- Align the suppressor with the muzzle device.
- Torque the suppressor to 10 ft lbs.
- Verify alignment once installed.

4. PostInstallation Check:

- Doublecheck all connections for tightness and proper alignment.
- Ensure that no debris is present that could affect performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular waste.
- Contact local waste management for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of the FHD Flash Hider, please refer to the contact information provided by your retailer.

Thank you for your attention to these safety guidelines. Enjoy the enhanced performance of your FHD Flash Hider while ensuring safe usage practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk