

FHD FLASH HIDERS - REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 9/16X24 LH FACEMOUNT SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

FHD FLASH HIDERS These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 9/16X24 LH FACEMOUNT SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111355
- Mfr. No.: 10181
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 9/16-24
- Delivery weight: 0.227kg
- UPC: 850041491806

Item details

Made in USA

Table of Contents

- Startpage
- FHD Flash Hiders Safety Instructions
- About Us

FHD Flash Hiders Safety Instructions

Introduction

Thank you for purchasing the FHD Flash Hider from Rearden Manufacturing Group LLC. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document thoroughly before installation and use.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- This product is designed for use with specific firearms and should only be installed on compatible models.
- Inspect the product for any signs of damage or wear before each use.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that all surfaces are clean before installation to avoid contamination.
- Use an alignment rod to confirm that the entire system is set up correctly.
- Torque the muzzle device to approximately 30 ftlbs to ensure a secure fit.
- Check that the muzzle device is square against the shoulder before attaching the silencer.
- Torque the suppressor to 10 ftlbs and ensure proper alignment.
- Avoid using the product with a Q can, as this may void your warranty.
- The nitride finish provides a tighter seal; therefore, proper torque and installation are crucial.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and alignment rod.
- Ensure that the firearm is unloaded and in a safe condition before beginning installation.

2. Installation Steps

- Clean the muzzle device and ensure that all threads and tapers are free from debris.
- Align the muzzle device with the barrel and handtighten it first.
- Use a torque wrench to tighten the muzzle device to approximately 30 ftlbs.
- Ensure that the muzzle device is square against the shoulder.
- If using shims for timing, ensure they are installed according to the manufacturer's specifications.

3. Attaching the Suppressor

- Once the muzzle device is secured, clean the threads of the suppressor.
- Align the suppressor with the muzzle device and handtighten.
- Use a torque wrench to tighten the suppressor to 10 ftlbs.
- Confirm that the suppressor is properly aligned and secure.

4. PostInstallation Check

- Doublecheck all connections and ensure that everything is properly torqued.
- Conduct a visual inspection to confirm that there are no loose parts.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use and safety of your FHD Flash Hider, please refer to the manufacturer's website or customer support resources.

By following these safety instructions, you can ensure the safe and effective use of your FHD Flash Hider. Thank you for your attention to these guidelines, and enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk