

# FHD FLASH HIDERS - REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 13X1 LH FACEMOUNT SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

FHD FLASH HIDERS These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



## Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC FHD FLASH HIDER 13X1 LH FACEMOUNT SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111358
- Mfr. No.: 10239
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M13x1LH
- Delivery weight: 0.227kg
- UPC: 850058579146

## Item details

Made in USA

# Table of Contents

- Startpage
- FHD Flash Hiders Safety Instruction Guide
- About Us

# FHD Flash Hiders Safety Instruction Guide

## Introduction

Thank you for choosing the FHD Flash Hider manufactured by Rearden Manufacturing Group LLC. This guide provides essential safety information and instructions for the proper use of your product. Please read this document carefully to ensure safe operation and compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure safe use of the FHD Flash Hider by following all instructions provided in this guide.
- Be aware of potential hazards associated with the installation and use of this product.
- Always use this product in accordance with the manufacturer's guidelines to avoid risks.
- Check for product recalls and safety updates regularly on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always use an alignment rod to ensure correct setup of the entire system.
- Ensure that all surfaces are clean before installation.
- Verify that the muzzle device is torqued and secured with Rockset to the barrel.
- Using this product on a Q can void your warranty; proceed with caution.
- Torque the muzzle device to approximately 30 ft lbs.
- Ensure the muzzle device is square against the shoulder.
- When attaching the silencer, ensure that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs.
- Ensure proper alignment before use.
- The nitride finish provides a tighter seal; therefore, proper torque and Rockset application are critical.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning materials.
- Ensure the work area is clean and free of obstructions.

### 2. Installation:

- Clean the muzzle device and barrel thoroughly to remove any debris or contaminants.
- Align the muzzle device with the barrel using the alignment rod.
- Torque the muzzle device to approximately 30 ft lbs, ensuring it is square against the shoulder.
- If timing is necessary, shims may be required (not included). Check if your barrel requires a shim.
- Attach the silencer to the muzzle device, ensuring that threads and tapers are clean.
- Torque the suppressor to 10 ft lbs, ensuring proper alignment.

### 3. Usage:

- Always check for proper installation before using the firearm.
- Regularly inspect the flash hider for signs of wear or damage.
- Follow all local laws and regulations regarding the use of suppressors and flash hiders.

## Disposal Instructions

- Dispose of the FHD Flash Hider and any associated packaging materials in accordance with local regulations.
- Ensure that the product is rendered unusable before disposal to prevent accidental use by others.

## Contact Information for Further Support

For any inquiries or further support regarding the FHD Flash Hider, please contact the manufacturer directly through their official channels. Ensure you have the product information ready for any assistance required.

By following these instructions and guidelines, you can ensure the safe and effective use of your FHD Flash Hider. Thank you for prioritizing safety and compliance. Enjoy your product responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)