

SPB MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

SPB MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

SPB MUZZLE BRAKES These fit the plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.050" Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Included* EXCEPT *Shims not included with the SR25/M110 or 11/16×24



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC SPB MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111361
- Mfr. No.: 10007
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850035804063

Item details

Made in USA

Table of Contents

- Startpage
- SPB Muzzle Brake Safety Instruction Guide
- About Us

SPB Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the SPB Muzzle Brake from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your muzzle brake. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that all safety precautions are followed during the installation and use of the muzzle brake.
- Always use an alignment rod to guarantee correct setup of the entire system.
- Keep all surfaces clean before installation to prevent any malfunction.
- The muzzle device must be properly torqued and secured with Rockset to the barrel.
- Using this product on a Q can may void your warranty; proceed with caution.
- Regularly check for wear and tear and ensure that the muzzle device remains securely attached.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper installation may lead to equipment failure or personal injury.
- Ensure that the muzzle device is square against the shoulder to prevent misalignment.
- Always check the threads and tapers for cleanliness before attaching the suppressor.

• AgeRelated Warnings:

- This product is intended for adult users only. Keep out of reach of children.

• Usage Guidelines:

- Torque the muzzle device to approximately 1525 ft lbs.
- Torque the suppressor to 10 ft lbs to ensure proper alignment.
- Regularly inspect the muzzle brake for any signs of damage or wear.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools, including an alignment rod and torque wrench.
- Ensure your workspace is clean and free from obstructions.

2. Installation Steps:

- Clean the barrel and muzzle device surfaces thoroughly.
- Align the muzzle brake with the barrel using the alignment rod.
- Secure the muzzle device by torquing it to 1525 ft lbs.
- Apply Rockset to ensure a secure bond to the barrel.
- Check that the muzzle device is square against the shoulder.

3. Attaching the Suppressor:

- Before attaching the suppressor, ensure that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs.

- Verify alignment and ensure that everything is securely in place.

4. PostInstallation Check:

- Conduct a visual inspection to ensure all components are correctly installed.
- Test the setup in a safe environment to confirm proper functionality.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the muzzle brake becomes damaged or is no longer in use, follow local guidelines for the disposal of metal products.

Contact Information for Further Support

For safety inquiries or additional support regarding the SPB Muzzle Brake, please refer to the official website of Rearden Manufacturing Group LLC or your local distributor.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of your SPB Muzzle Brake. Always prioritize safety and consult this guide whenever needed. Thank you for your attention to these important safety measures. Enjoy your experience with the SPB Muzzle Brake.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk