

DPB MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

DPB MUZZLE BRAKE .375 14X1LH THREAD FACEMOUNT SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

DPB MUZZLE BRAKES These fit the plan B type mounts. This is an updated version that has larger wrench flats on the rear. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.600" Atlas XL Adapter Overrun Approximately 0.750" Black Nitride Finish (67 HRC Surface Hardness) Shims Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC DPB MUZZLE BRAKE .375 14X1LH THREAD FACEMOUNT SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111374
- Mfr. No.: 10066
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M14x1LH
- Delivery weight: 0.227kg
- UPC: 850035804650

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for DPB Muzzle Brake
- About Us

Safety Instruction Guide for DPB Muzzle Brake

Introduction

Thank you for choosing the DPB Muzzle Brake manufactured by Rearden Manufacturing Group LLC. This guide provides essential safety instructions and information to ensure the safe and effective use of your muzzle brake. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the muzzle brake is suitable for your firearm and intended use.
- Always handle firearms and accessories with care and follow all safety protocols.
- Keep the muzzle brake and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for wear or damage before each use.
- If you notice any damage or unusual wear, discontinue use and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Torque Specifications:**
 - Torque the muzzle device to approximately 30 ftlbs.
 - Torque the suppressor to 10 ftlbs.
- **Alignment:**
 - Always use an alignment rod to ensure proper setup.
 - Ensure the muzzle device is square against the shoulder.
- **Cleaning:**
 - Before installation, clean all surfaces of the muzzle device, suppressor, and barrel.
 - Ensure that threads and tapers are free from debris.
- **Rockset Application:**
 - Use Rockset to secure the muzzle device to the barrel to prevent loosening.
- **Warranty Considerations:**
 - Using the muzzle brake on a Q can void your warranty. Proceed with caution.
- **Nitride Finish:**
 - The nitride finish improves the seal; however, proper torque and Rockset application are critical.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and alignment rod.
- Ensure that the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Clean the muzzle device and barrel thoroughly.
- Align the muzzle device with the barrel using the alignment rod.
- Handtighten the muzzle device onto the barrel.
- Using a torque wrench, tighten the muzzle device to approximately 30 ftlbs.
- Apply Rockset according to the manufacturer's instructions to secure the muzzle device.

3. Suppressor Attachment:

- Ensure that the threads and tapers of the suppressor are clean.
- Attach the suppressor to the muzzle device.
- Torque the suppressor to 10 ftlbs.

4. Final Checks:

- Verify that the muzzle device is square against the shoulder.
- Perform a visual inspection to ensure all components are securely attached.

Disposal Instructions

- Dispose of the muzzle brake and any packaging materials in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste if it is damaged or poses a safety risk.

Contact Information for Further Support

For further assistance or inquiries regarding safety, installation, or product information, please consult the manufacturer's website or contact their customer support.

By following these guidelines and instructions, you can ensure the safe and effective use of your DPB Muzzle Brake. Thank you for your attention to safety. Enjoy your shooting experience responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk