

MINI MUZZLE BRAKE - REARDEN MANUFACTURING GROUP LLC

MINI MUZZLE BRAKE 0.475 14X1 LH THRD FACEMOUNT SHOULDER BLK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

MINI MUZZLE BRAKES Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 0.050" Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC MINI MUZZLE BRAKE 0.475 14X1 LH THRD FACEMOUNT SHOULDER BLK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111378
- Mfr. No.: 10027
- Caliber: 475 Caliber (.475)
- Finish: Black
- Material: Stainless Steel
- Threads: M14x1LH
- Delivery weight: 0.227kg
- UPC: 850035804308

Item details

Made in USA

Table of Contents

- Startpage
- MINI MUZZLE BRAKE SAFETY INSTRUCTION GUIDE
- About Us

MINI MUZZLE BRAKE SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the MINI MUZZLE BRAKE from REARDEN MANUFACTURING GROUP LLC. This guide provides essential safety instructions and information to ensure the safe and effective use of your muzzle brake. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure that the muzzle brake is used only with firearms that are compatible with its specifications.
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the muzzle brake out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for signs of wear or damage before each use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Alignment:** Always use an alignment rod to ensure that the entire system is set up correctly.
- **Cleaning:** Ensure all surfaces are clean before installation. The muzzle device must be torqued and Rockset to the barrel.
- **Torque Settings:**
 - Torque the muzzle device to approximately 1525 ft lbs.
 - Ensure the muzzle device is square against the shoulder.
 - When attaching the suppressor, torque it to 10 ft lbs.
- **Compatibility Warning:** Using the muzzle brake on a Q can void your warranty. Please be aware of this before use.
- **Thread and Taper Maintenance:** Ensure that the threads and tapers are clean before attaching any devices.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools, including an alignment rod, torque wrench, and cleaning materials.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Clean the barrel and muzzle device surfaces thoroughly.
- Align the muzzle brake with the barrel using the alignment rod.
- Securely attach the muzzle brake to the barrel, ensuring it is square against the shoulder.
- Torque the muzzle brake to 1525 ft lbs using a torque wrench.
- If using a suppressor, clean the threads and taper, then attach it and torque to 10 ft lbs.

3. Usage:

- Always check the alignment before firing.
- Inspect the muzzle brake after each use for any signs of wear or damage.
- Store the firearm and muzzle brake in a secure location when not in use.

Disposal Instructions

- Dispose of the muzzle brake in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MINI MUZZLE BRAKE, please refer to the appropriate contact points provided by the manufacturer or authorized dealers. Always ensure you have the latest safety information and product updates.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance of your MINI MUZZLE BRAKE while prioritizing safety and compliance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk