

MINI MUZZLE BRAKE - REARDEN MANUFACTURING GROUP LLC

MINI MUZZLE BRAKE 0.571 5/8-24 THREAD TAPER SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

MINI MUZZLE BRAKES Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 0.050" Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC MINI MUZZLE BRAKE 0.571 5/8-24 THREAD TAPER SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111380
- Mfr. No.: 10029
- Caliber: 577 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850035804155

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MINI MUZZLE BRAKE
- About Us

Safety Instruction Guide for MINI MUZZLE BRAKE

Introduction

Thank you for choosing the MINI MUZZLE BRAKE by Rearden Manufacturing Group LLC. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide carefully before installation and use to understand potential hazards and how to avoid them.

General Safety Guidelines

- Ensure safe use of the MINI MUZZLE BRAKE by following all instructions.
- Always use an alignment rod to confirm the correct setup of the entire system.
- Clean all surfaces thoroughly before installation.
- The muzzle device must be properly torqued and secured with Rockset to the barrel.
- Using the muzzle brake with a Q can may void your warranty; please be aware of this risk.
- Torque the muzzle device to approximately 1525 ft lbs.
- Ensure that the muzzle device is square against the shoulder.
- When attaching the silencer, ensure that threads and tapers are clean.
- Torque the suppressor to 10 ft lbs and ensure proper alignment.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation can lead to malfunction or failure.
- Using the product with incompatible devices may pose safety risks.
- Failure to clean threads and tapers can result in misalignment and damage.

• Instructions for Avoiding Hazards:

- Always inspect the muzzle brake and associated components for damage before use.
- Ensure that you are using compatible devices as specified in the product details.
- Follow torque specifications carefully to prevent loosening or damage during use.
- Keep the product out of reach of children and ensure it is used only by individuals familiar with firearm safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning materials.
- Ensure a clean and safe workspace free from distractions.

2. Installation Steps:

- Clean the barrel and muzzle device surfaces thoroughly.
- Align the muzzle brake with the barrel using the alignment rod.
- Torque the muzzle device to approximately 1525 ft lbs, ensuring it is square against the shoulder.
- Clean the threads and tapers of the silencer before attachment.
- Attach the silencer securely and torque it to 10 ft lbs.
- Doublecheck alignment and ensure everything is secure before use.

3. Usage:

- Use the MINI MUZZLE BRAKE as intended and only with compatible devices.
- Regularly inspect the muzzle brake and associated components for wear or damage.
- If you notice any issues, discontinue use and consult a qualified professional.

Disposal Instructions

- Dispose of the MINI MUZZLE BRAKE in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for proper disposal methods for firearm accessories.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the contact details provided on the packaging or your purchase receipt.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MINI MUZZLE BRAKE. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk