

MINI MUZZLE BRAKE - REARDEN MANUFACTURING GROUP LLC

MINI MUZZLE BRAKE 0.571 11/16-24 THREAD SQUARE SHOULDER

BLK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

MINI MUZZLE BRAKES Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 0.050" Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC MINI MUZZLE BRAKE 0.571 11/16-24 THREAD SQUARE SHOULDER BLK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111383
- Mfr. No.: 10144
- Caliber: 577 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: 11/16-24
- Delivery weight: 0.227kg
- UPC: 850041491448

Item details

Made in USA

Table of Contents

- Startpage
- MINI MUZZLE BRAKE SAFETY INSTRUCTION GUIDE
- About Us

MINI MUZZLE BRAKE SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the MINI MUZZLE BRAKE by Rearden Manufacturing Group LLC. This guide provides essential safety information to ensure the safe use and installation of your muzzle brake. Please read this guide thoroughly before using the product.

General Safety Guidelines

To ensure your safety and the effective use of the MINI MUZZLE BRAKE, please follow these guidelines:

- Always use an alignment rod to ensure that the entire system is set up correctly.
- Ensure all surfaces are clean before installation.
- Confirm that the muzzle device is properly torqued and secured with Rockset to the barrel.
- Using the muzzle brake on a Q can void your warranty. Please be aware of this.
- Do not exceed the recommended torque specifications during installation.
- Keep the product out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

When using the MINI MUZZLE BRAKE, observe the following precautions:

- Ensure the muzzle device is square against the shoulder to prevent misalignment.
- Clean the threads and tapers before attaching the silencer to the muzzle device.
- Torque the suppressor to a maximum of 10 ft lbs to ensure it is securely fastened.
- Always check for proper alignment after installation.
- Do not attempt to modify the muzzle brake or its components.

Instructions for Installation and Usage

Follow these steps for the correct installation and usage of the MINI MUZZLE BRAKE:

1. Preparation:

- Gather all necessary tools, including an alignment rod and torque wrench.
- Ensure that the work area is clean and welllit.

2. Cleaning:

- Clean all surfaces of the muzzle device and the barrel to remove any debris or contaminants.

3. Installation:

- Align the muzzle brake with the barrel using the alignment rod.
- Torque the muzzle brake to approximately 1525 ft lbs.
- Ensure that the muzzle device is square against the shoulder.

4. Attaching the Silencer:

- Place the silencer onto the muzzle device.
- Clean the threads and tapers of both the silencer and the muzzle device before attachment.
- Torque the suppressor to 10 ft lbs.

5. Final Check:

- Verify that the alignment is correct and that all components are securely fastened.
- Conduct a visual inspection to ensure there are no loose parts.

Disposal Instructions

When disposing of the MINI MUZZLE BRAKE, please follow these guidelines:

- Do not dispose of the product in regular household waste.
- Check local regulations for proper disposal methods for metal products.
- If the product is damaged or no longer functional, consider recycling it at a designated facility.

Contact Information for Further Support

For any inquiries regarding the MINI MUZZLE BRAKE, please refer to the provided contact information from the retailer or manufacturer. Ensure you have your product details ready when seeking assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the MINI MUZZLE BRAKE. Always prioritize safety and compliance with local laws and regulations. Thank you for choosing Rearden Manufacturing Group LLC. Enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk