

MINI MUZZLE BRAKE - REARDEN MANUFACTURING GROUP LLC

MINI MUZZLE BRAKE 0.5 .578X28 THREAD SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

MINI MUZZLE BRAKES Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. FEATURES: 17-4 PH H900 Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 0.050" Atlas XL Adapter No Overrun Black Nitride Finish (67 HRC Surface Hardness) Shims Not Included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC MINI MUZZLE BRAKE 0.5 .578X28 THREAD SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111388
- Mfr. No.: 10201
- Caliber: 50 Caliber (.500-.501)
- Finish: Black
- Material: Stainless Steel
- Threads: .578-28
- Delivery weight: 0.227kg
- UPC: 850058579009

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for MINI MUZZLE BRAKE
- About Us

Safety Instructions for MINI MUZZLE BRAKE

Introduction

Thank you for choosing the MINI MUZZLE BRAKE by Rearden Manufacturing Group LLC. This document provides important safety instructions and guidelines to ensure the safe use of this product. Please read and follow these instructions carefully to minimize risks and ensure optimal performance.

General Safety Guidelines

- Always use an alignment rod to ensure that the entire system is set up correctly.
- Ensure all surfaces are cleaned before installation.
- The muzzle device must be torqued and secured with Rockset to the barrel.
- Using the muzzle brake on a Q can void your warranty; proceed with caution.
- Torque the muzzle device to approximately 1525 ft lbs.
- Ensure the muzzle device is square against the shoulder during installation.
- When attaching the silencer, ensure that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs for proper alignment.
- Regularly check for any signs of wear or damage to the muzzle brake.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation or use of the muzzle brake may lead to malfunction or damage, which can result in injury.
- **Age Restrictions:** This product is intended for use by adults only. Keep out of reach of children.
- **Vulnerable Groups:** Extra caution should be taken when the product is used in the presence of inexperienced users or individuals unfamiliar with firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including an alignment rod, torque wrench, and Rockset.
- Ensure the workspace is clean and free of obstructions.

2. Installation:

- Clean the barrel and muzzle device thoroughly.
- Align the muzzle device with the barrel using the alignment rod.
- Torque the muzzle device to 1525 ft lbs, ensuring it is square against the shoulder.
- If applicable, attach the Atlas or Atlas XL adapter, ensuring there is no overrun.
- Clean the threads and tapers of the silencer before attaching.
- Securely torque the suppressor to 10 ft lbs.

3. Usage:

- Always ensure that the muzzle brake is properly installed before use.
- Regularly inspect the muzzle brake for any signs of wear or damage.
- If you notice any issues, discontinue use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For safety inquiries or further assistance, please reach out to your local Rearden Manufacturing Group LLC representative or authorized dealer.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the MINI MUZZLE BRAKE. Always prioritize safety and remain informed about best practices for handling and maintaining your firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk