

# **R2 FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2 FLASH HIDER 13.5X1LH THREADS TAPER SHOULDER BLACK NITRIDE**

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2 FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



## **Attributes**

- Name: [REARDEN MANUFACTURING GROUP LLC R2 FLASH HIDER 13.5X1LH THREADS TAPER SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111391
- Mfr. No.: 10106
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M13.5x1LH
- Delivery weight: 0.227kg
- UPC: 850035804940

## **Item details**

Made in USA

# Table of Contents

- Startpage
- R2 FLASH HIDER SAFETY INSTRUCTION GUIDE
- About Us

# R2 FLASH HIDER SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for purchasing the R2 Flash Hider from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your product. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure safe use of the R2 Flash Hider by following these guidelines:
  - Always handle the product with care.
  - Keep the product out of reach of children and vulnerable individuals.
  - Use the product only for its intended purpose.
  - Regularly inspect the product for any signs of damage or wear.
  - If you notice any issues, do not use the product and seek assistance.
- In case of an emergency or accident, report unsafe products to the relevant authorities.
- Check for recall updates on the EU Safety Gate platform to stay informed about any safety issues related to this product.

## Specific Safety Precautions for Use

- Before installation, ensure the following:
  - The firearm is unloaded and pointed in a safe direction.
  - You are wearing appropriate safety gear, including eye and ear protection.
- When using the R2 Flash Hider:
  - Always use an alignment rod to ensure proper setup.
  - Ensure all surfaces are clean before installation.
  - Torque the muzzle device to approximately 30 ft lbs to ensure a secure fit.
  - Ensure the muzzle device is square against the shoulder.
  - When attaching the suppressor, ensure threads and tapers are clean.
  - Torque the suppressor to 10 ft lbs for secure attachment.
  - Ensure proper alignment before use.
- Using the R2 Flash Hider with a Q can void your warranty. Use caution and follow the guidelines.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather the following tools: alignment rod, torque wrench, and cleaning supplies.
- Ensure your work area is clean and welllit.

### 2. Installation Steps:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Clean the barrel and muzzle device surfaces thoroughly.
- Align the R2 Flash Hider with the barrel using the alignment rod.
- Torque the muzzle device to approximately 30 ft lbs.
- Verify that the muzzle device is square against the shoulder.

- Clean the threads and tapers of the suppressor.
- Attach the suppressor and torque it to 10 ft lbs.
- Check alignment before use.

### **3. PostInstallation:**

- Perform a final inspection to ensure everything is secure.
- Test the setup in a safe environment to confirm proper function.

## **Disposal Instructions**

- Dispose of the R2 Flash Hider in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local authorities for specific disposal guidelines for firearm accessories.

## **Contact Information for Further Support**

For any inquiries or support regarding the R2 Flash Hider, please refer to the contact information provided by the manufacturer. Ensure you have the product details ready when reaching out.

By following these safety instructions, you can ensure the safe use of your R2 Flash Hider. Thank you for prioritizing safety. Enjoy your product responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)