

R2 FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2 FLASH HIDER 14X1 LH THREADS FACEMOUNT SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2 FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2 FLASH HIDER 14X1 LH THREADS FACEMOUNT SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111392
- Mfr. No.: 10112
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M14x1LH
- Delivery weight: 0.227kg
- UPC: 850041491004

Item details

Made in USA

Table of Contents

- Startpage
- R2 FLASH HIDER Safety Instruction Guide
- About Us

R2 FLASH HIDER Safety Instruction Guide

Introduction

Thank you for purchasing the R2 FLASH HIDER from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully to understand how to use the R2 FLASH HIDER safely and effectively.

General Safety Guidelines

- Ensure that you are familiar with the operation and handling of the R2 FLASH HIDER before use.
- Always adhere to local laws and regulations regarding the use of firearm accessories.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product regularly for any signs of wear or damage.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about your product's safety status.

Specific Safety Precautions for Use

• Muzzle Device Installation:

- Always use an alignment rod to ensure proper setup.
- Clean all surfaces before installation to ensure a secure fit.
- Torque the muzzle device to approximately 30 ftlbs.
- Ensure the muzzle device is square against the shoulder.

• Silencer Attachment:

- When attaching the silencer, ensure that threads and tapers are clean.
- Torque the suppressor to 10 ftlbs.
- Verify alignment after installation.

• Warranty Information:

- Using the product on a Q can voids your warranty.

• Nitride Finish:

- The nitride finish enhances the seal; proper torque and rockset application are crucial for safety.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning materials.
- Ensure the area is clean and free from distractions.

2. Installation:

- Clean the barrel and muzzle device thoroughly.
- Align the muzzle device with the barrel using the alignment rod.
- Torque the muzzle device to approximately 30 ftlbs, ensuring it is square against the shoulder.
- Clean the threads and tapers of the silencer.
- Attach the silencer to the muzzle device, ensuring proper alignment.
- Torque the suppressor to 10 ftlbs.

3. PostInstallation Check:

- Inspect the assembly for any visible gaps or misalignments.
- Perform a function check to ensure everything operates correctly.

4. **Usage:**

- Operate the firearm following standard safety practices.
- Monitor the product during use for any unusual sounds or performance issues.

Disposal Instructions

- Dispose of the R2 FLASH HIDER in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options where applicable.

Contact Information for Further Support

For further assistance or inquiries regarding the R2 FLASH HIDER, please refer to the manufacturer's website or customer service resources.

Thank you for choosing the R2 FLASH HIDER. Your safety is our priority, and we hope you enjoy using our product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk