

R2C FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2C FLASH HIDER 1/2-28 THREADS SQUARE SHOULDER BLACK NITRIDE

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2C FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims included



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2C FLASH HIDER 1/2-28 THREADS SQUARE SHOULDER BLACK NITRIDE](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111393
- Mfr. No.: 10118
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 1/2-28
- Delivery weight: 0.227kg
- UPC: 850041491172

Item details

Made in USA

Table of Contents

- Startpage
- R2C Flash Hider Safety Instructions
- About Us

R2C Flash Hider Safety Instructions

Introduction

Thank you for choosing the R2C Flash Hider by Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain your flash hider properly.

General Safety Guidelines

- Ensure the product is suitable for your firearm and caliber.
- Always follow the manufacturer's instructions for installation and use.
- Keep the flash hider out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.
- Use protective eyewear and hearing protection when using firearms equipped with this flash hider.

Specific Safety Precautions for Use

- **Alignment Rod:** Always use an alignment rod to ensure proper setup of the flash hider with your firearm.
- **Surface Cleaning:** Ensure all surfaces are clean before installation. Dirt or debris can cause improper fitting and potential hazards.
- **Torque Specifications:**
 - Torque the muzzle device to approximately 30 ftlbs.
 - Ensure the muzzle device is square against the shoulder.
 - Torque the suppressor to 10 ftlbs.
- **Warning on Compatibility:** Using this flash hider with a Q can void your warranty. Ensure compatibility before use.
- **Tight Seal:** The nitride finish provides a tighter seal; however, it is crucial to torque and rockset the muzzle device to the barrel properly.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: alignment rod, torque wrench, and cleaning materials.
- Ensure your firearm is unloaded and pointed in a safe direction.

2. Cleaning:

- Clean the muzzle device and barrel threads to remove any debris or oil.

3. Installation:

- Align the flash hider with the barrel using the alignment rod.
- Handtighten the flash hider onto the barrel threads initially.

4. Torqueing:

- Use a torque wrench to tighten the muzzle device to approximately 30 ftlbs.
- Verify that the muzzle device is square against the shoulder.
- If using a suppressor, follow the same procedure and torque it to 10 ftlbs.

5. Final Check:

- Ensure all components are aligned and securely fastened.
- Doublecheck for any loose parts before using the firearm.

Disposal Instructions

- Dispose of the flash hider in accordance with local regulations.
- Do not throw the product in regular waste; check for recycling options specific to metal components.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's contact information provided with your product packaging or visit the official website of Rearden Manufacturing Group LLC.

By following these guidelines and instructions, you can ensure the safe and effective use of your R2C Flash Hider. Thank you for prioritizing safety and compliance with EU regulations. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk