

R2S FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 1/2-28 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2S FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 1/2-28 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111395
- Mfr. No.: 10086
- Caliber: 40 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: 1/2-28
- Delivery weight: 0.227kg
- UPC: 850035804858

Item details

Made in USA

Table of Contents

- Startpage
- R2S FLASH HIDER Safety Instruction Guide
- About Us

R2S FLASH HIDER Safety Instruction Guide

Introduction

Thank you for choosing the R2S FLASH HIDER by Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain the product properly.

General Safety Guidelines

- Always ensure the product is used in accordance with the manufacturer's instructions.
- Inspect the R2S FLASH HIDER for any signs of damage before each use.
- Ensure that the firearm is unloaded before attaching or detaching the flash hider.
- Keep the flash hider and all related components out of reach of children and unauthorized users.
- Be aware of your surroundings and ensure that you are in a safe environment when using this product.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Ensure that the alignment rod is used during installation to guarantee proper setup.
- Always clean all surfaces before installation to ensure a secure fit.
- Confirm that the muzzle device is torqued and secured with Rockset to the barrel.
- Avoid using the flash hider with a Q can, as this may void the warranty.
- Torque the muzzle device to approximately 1525 ft lbs for optimal performance.
- When attaching the silencer, ensure that threads and tapers are clean to prevent misalignment.
- Torque the suppressor to 10 ft lbs and verify alignment before use.
- The nitride finish provides a tighter seal; therefore, it is crucial to torque and secure the muzzle device properly.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools, including an alignment rod and torque wrench.

2. Installation:

- Clean the barrel and muzzle device thoroughly.
- Align the R2S FLASH HIDER with the muzzle device.
- Use the alignment rod to ensure proper setup.
- Torque the muzzle device to approximately 1525 ft lbs.
- Apply Rockset to secure the muzzle device to the barrel.
- Ensure the muzzle device is square against the shoulder.

3. Attaching the Silencer:

- Clean the threads and tapers of the silencer.
- Attach the silencer to the muzzle device.
- Torque the suppressor to 10 ft lbs.
- Check alignment before use.

4. PostUse:

- After use, inspect the flash hider for any signs of wear or damage.
- Clean the flash hider as necessary to maintain performance.

Disposal Instructions

- Dispose of the R2S FLASH HIDER in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety and compliance while using the R2S FLASH HIDER. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk