

# R2S FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 1/2-28 THREADS TAPER SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2S FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



## Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 1/2-28 THREADS TAPER SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111399
- Mfr. No.: 10130
- Caliber: 40 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: 1/2-28
- Delivery weight: 0.227kg
- UPC: 850041491295

## Item details

Made in USA

# Table of Contents

- Startpage
- R2S FLASH HIDER SAFETY INSTRUCTION GUIDE
- About Us

# R2S FLASH HIDER SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for choosing the R2S Flash Hider from Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU safety regulations. Please read this guide carefully to understand how to use and maintain the flash hider safely.

## General Safety Guidelines

- Ensure that you are familiar with the handling and operation of firearms before using this product.
- Always wear appropriate safety gear, including eye protection, when using firearms equipped with this flash hider.
- Keep this product out of reach of children and unauthorized users.
- Regularly check for any signs of wear or damage to the flash hider and your firearm.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.

## Specific Safety Precautions for Use

- **Alignment Rod:** Always use an alignment rod to ensure that the entire system is set up correctly.
- **Surface Cleaning:** Make sure all surfaces are cleaned before installation to prevent any misalignment.
- **Torque Specifications:**
  - Torque the muzzle device to approximately 1525 ft lbs.
  - Ensure the muzzle device is square against the shoulder.
  - Torque the suppressor to 10 ft lbs.
- **Warranty Warning:** Using this product on a Q can void your warranty. Please be aware of this before installation.
- **Shim Requirement:** If your barrel does not have a thread relief, a shim may be required for proper installation.
- **Nitride Finish:** The nitride finish provides a tighter seal; therefore, proper torque and Rockset application to the barrel are crucial.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning supplies.
- Ensure that the firearm is unloaded and in a safe condition before beginning installation.

### 2. Installation:

- Clean all threads and tapers on the muzzle device and suppressor.
- Align the flash hider with the muzzle device using the alignment rod.
- Torque the muzzle device to 1525 ft lbs, ensuring it is square against the shoulder.
- If necessary, install a shim to achieve proper timing.
- Attach the suppressor and torque it to 10 ft lbs.
- Verify alignment to ensure proper function.

### 3. Usage:

- Before each use, inspect the flash hider for any signs of damage or wear.
- Follow all safety protocols when operating your firearm.
- After use, clean the flash hider and the firearm according to the manufacturer's recommendations.

## Disposal Instructions

- Dispose of the flash hider in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local authorities for proper disposal methods for firearm accessories.

## Contact Information for Further Support

For any questions or concerns regarding the R2S Flash Hider, please refer to the manufacturer's website or contact their support team directly.

## Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your R2S Flash Hider. Always prioritize safety and compliance with local laws while handling firearms and accessories. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)