

R2S FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 15X1 RH THREADS TAPER SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2S FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 15X1 RH THREADS TAPER SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111402
- Mfr. No.: 10187
- Caliber: 40 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: M15x1
- Delivery weight: 0.227kg
- UPC: 850041491868

Item details

Made in USA

Table of Contents

- Startpage
- R2S Flash Hider Safety Instruction Guide
- About Us

R2S Flash Hider Safety Instruction Guide

Introduction

Thank you for choosing the R2S Flash Hider from Rearden Manufacturing Group LLC. This guide provides essential safety instructions and usage information to ensure your product operates safely and effectively. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure the R2S Flash Hider is installed correctly to avoid any operational hazards.
- Always follow the installation and usage instructions provided in this guide.
- Regularly inspect the flash hider for signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about any product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use an alignment rod during installation to ensure proper setup.
- Clean all surfaces before installation to prevent misalignment.
- Ensure the muzzle device is properly torqued to 1525 ft lbs.
- Use Rockset to secure the muzzle device to the barrel.
- Avoid using the flash hider with a Q can, as this may void your warranty.
- When attaching the suppressor, torque it to 10 ft lbs and ensure alignment.
- Be cautious when handling the product, especially during installation and removal.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools including an alignment rod, torque wrench, and cleaning materials.
- Ensure the workspace is clean and free from obstructions.

2. Installation:

- Clean the muzzle device and the barrel threads thoroughly.
- Align the flash hider with the barrel, ensuring that the threads and tapers are clean.
- Use the alignment rod to check that the flash hider is properly aligned.
- Torque the muzzle device to approximately 1525 ft lbs.
- Apply Rockset to secure the muzzle device to the barrel.

3. Attaching the Suppressor:

- Once the muzzle device is securely attached, align the suppressor with the flash hider.
- Torque the suppressor to 10 ft lbs, ensuring it is square against the shoulder.
- Doublecheck alignment before finalizing the installation.

4. PostInstallation Check:

- Inspect the installation to ensure all components are secure and properly aligned.
- Conduct a function check to confirm the flash hider operates as intended.

Disposal Instructions

- Dispose of the R2S Flash Hider in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the R2S Flash Hider, please reach out to the manufacturer directly through the provided contact channels. Ensure you have your product information ready for a more efficient response.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy your experience with the R2S Flash Hider!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk