

R2S FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 13X1 RH THREADS FACEMOUNT SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2S FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER 13X1 RH THREADS FACEMOUNT SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111406
- Mfr. No.: 10195
- Caliber: 40 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: M13x1RH
- Delivery weight: 0.227kg
- UPC: 850041491943

Item details

Made in USA

Table of Contents

- Startpage
- R2S FLASH HIDER SAFETY INSTRUCTIONS
- About Us

R2S FLASH HIDER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the R2S Flash Hider by Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety and compliance with regulations. Please read this safety instruction guide carefully to understand how to use, install, and maintain the R2S Flash Hider properly.

General Safety Guidelines

- Ensure safe handling and usage of the R2S Flash Hider by following these guidelines:
- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Ensure that the R2S Flash Hider is compatible with your firearm and the correct mounting system.
- Regularly inspect the Flash Hider for signs of wear or damage before each use.
- Do not use the Flash Hider with any incompatible muzzle devices.
- Store the Flash Hider in a safe place, away from children and unauthorized users.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Always use an alignment rod during installation to ensure proper setup.
- Clean all surfaces thoroughly before installation to avoid contamination.
- Torque the muzzle device to approximately 1525 ft lbs to ensure a secure fit.
- Ensure that the muzzle device is square against the shoulder of the barrel.
- When attaching the silencer, ensure that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs to maintain alignment.
- Avoid using the Flash Hider on a Q can, as this may void your warranty.
- The nitride finish provides a tighter seal; however, it is crucial to torque and Rockset your muzzle device properly.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an alignment rod and torque wrench.
- Ensure your work area is clean and free from distractions.

2. Cleaning:

- Clean the muzzle device and the barrel threads thoroughly to remove any debris or oils.

3. Installation:

- Align the R2S Flash Hider with the muzzle device using the alignment rod.
- Torque the muzzle device to 1525 ft lbs, ensuring it is securely fastened.
- Check that the muzzle device is square against the shoulder of the barrel.

4. Attaching the Silencer:

- Clean the threads and tapers of the silencer.
- Attach the silencer to the muzzle device and torque it to 10 ft lbs.
- Verify alignment and ensure everything is securely fastened.

5. Final Inspection:

- Conduct a final inspection to ensure all components are properly installed.
- Test the setup in a safe environment before regular use.

Disposal Instructions

- Dispose of the R2S Flash Hider in accordance with local regulations.
- Do not dispose of the Flash Hider in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

- For any inquiries related to safety or product usage, please refer to the manufacturer's contact point as provided on the product packaging or documentation.

By following these instructions, you can ensure the safe and effective use of your R2S Flash Hider. Thank you for your attention to safety and compliance. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk