

R2S FLASH HIDER - REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER SR25 THREADS FACEMOUNT SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Flash Hiders](#)

R2S FLASH HIDERS These fit Plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 15-25 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: 17-4 PH Atlas and Atlas XL compatible Plan B compatible Black Nitride finish (67 HRC Surface hardness) Shims not included, if you would like to specifically time this, shims will be required. Note: your barrel may require a shim if the manufacturer did not put a thread relief on it.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC R2S FLASH HIDER SR25 THREADS FACEMOUNT SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111407
- Mfr. No.: 10159
- Caliber: 40 Caliber
- Finish: Black
- Material: Stainless Steel
- Threads: SR25
- Delivery weight: 0.227kg
- UPC: 850041491585

Item details

Made in USA

Table of Contents

- Startpage
- R2S Flash Hider Safety Instructions
- About Us

R2S Flash Hider Safety Instructions

Introduction

Thank you for choosing the R2S Flash Hider by Rearden Manufacturing Group LLC. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully before use.

General Safety Guidelines

- Ensure safe use of the R2S Flash Hider by following all instructions provided.
- Be aware of potential hazards associated with improper installation or usage.
- Always use protective gear when handling firearms and related accessories.
- Keep the product away from children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always use an alignment rod when installing the R2S Flash Hider to ensure proper setup.
- Clean all surfaces thoroughly before installation to avoid debris that may affect performance.
- Ensure the muzzle device is properly torqued and secured with Rockset to the barrel.
- Avoid using the R2S Flash Hider on a Q can, as this may void your warranty.
- Torque the muzzle device to approximately 1525 ft lbs for optimal performance.
- Ensure the muzzle device is square against the shoulder before attaching the silencer.
- Clean the threads and tapers of the muzzle device before installing the suppressor.
- Torque the suppressor to 10 ft lbs and ensure proper alignment during installation.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning supplies.
- Ensure that the work area is clean and free from distractions.

2. Cleaning

- Clean all surfaces of the muzzle device and the barrel thoroughly.
- Remove any debris or contaminants that may interfere with proper installation.

3. Installation

- Use the alignment rod to ensure that the entire system is set up correctly.
- Position the muzzle device squarely against the shoulder of the barrel.
- Torque the muzzle device to 1525 ft lbs, ensuring it is secure.
- Apply Rockset to the threads of the muzzle device for added security.

4. Attaching the Suppressor

- Clean the threads and tapers of the muzzle device before proceeding.
- Carefully screw the suppressor onto the muzzle device.
- Torque the suppressor to 10 ft lbs, ensuring it is aligned properly.

5. Final Check

- Doublecheck all connections and ensure everything is secure before use.
- Make sure to follow all local laws and regulations regarding the use of suppressors.

Disposal Instructions

- Dispose of the R2S Flash Hider in accordance with local regulations.
- Ensure that any hazardous materials are disposed of properly and safely.
- Check with local authorities for guidance on the disposal of firearm accessories.

Contact Information for Further Support

For any inquiries related to safety, installation, or product performance, please contact your local distributor or authorized dealer for assistance.

Thank you for choosing the R2S Flash Hider. Your safety is our priority, and we appreciate your commitment to using our product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk