

PRS MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

PRS MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

PRS MUZZLE BRAKES These fit the plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: Designed for barrels larger than .750" but works fine for those under as well. 17-4 PH H900 with Black Nitride finish Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.050" Atlas XL Adapter No Overrun Shims NOT included with 3/4-20 or 3/4-24



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC PRS MUZZLE BRAKE 0.375 5/8-24 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111409
- Mfr. No.: 10138
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 5/8-24
- Delivery weight: 0.227kg
- UPC: 850041491370

Item details

Made in USA

Table of Contents

- Startpage
- PRS Muzzle Brake Safety Instruction Guide
- About Us

PRS Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the PRS Muzzle Brake from Rearden Manufacturing Group LLC. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the PRS Muzzle Brake is used only for its intended purpose.
- Always follow local laws and regulations regarding the use of muzzle devices.
- Inspect the product regularly for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always use an alignment rod to ensure proper setup of the entire system.
- Clean all surfaces thoroughly before installation to ensure a proper fit.
- Ensure that the muzzle device is torqued to approximately 30 ftlbs.
- Use Rockset to secure the muzzle device to the barrel.
- Avoid using the muzzle device on a Q can as it may void your warranty.
- When attaching the suppressor, torque it to 10 ftlbs and ensure alignment.
- Make sure the muzzle device is square against the shoulder.
- The nitride finish provides a tighter seal; ensure proper torque and Rockset application.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: alignment rod, torque wrench, and Rockset.
- Ensure that your work area is clean and welllit.

2. Installation:

- Clean the barrel and muzzle device surfaces.
- Align the PRS Muzzle Brake with the barrel using the alignment rod.
- Torque the muzzle device to approximately 30 ftlbs.
- Apply Rockset to the threads for a secure fit.

3. Attaching the Suppressor:

- Ensure that the threads and tapers of both the muzzle device and suppressor are clean.
- Attach the suppressor to the muzzle device.
- Torque the suppressor to 10 ftlbs.
- Doublecheck alignment before use.

4. PostInstallation Checks:

- Inspect the installation to ensure everything is secure.
- Conduct a function check to ensure proper operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the PRS Muzzle Brake, please reach out to the designated contact point in your region. Ensure you have the product details at hand for a quicker resolution.

By following these safety instructions, you can ensure the safe and effective use of your PRS Muzzle Brake. Thank you for your attention to safety, and enjoy your product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk