

PRS MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

PRS MUZZLE BRAKE 0.375 3/4-24 THREADS SQUARE SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

PRS MUZZLE BRAKES These fit the plan B type mounts. Always use an alignment rod to ensure that the entire system is set up correctly. Make sure all surfaces are cleaned and the muzzle device has been torqued and Rockset to the barrel. Use on a Q can voids your warranty, be warned. Torque the muzzle device to approximately 30 ft lbs. Make sure the muzzle device is square against the shoulder. When setting the silencer on the muzzle device, ensure that the threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. FEATURES: Designed for barrels larger than .750" but works fine for those under as well. 17-4 PH H900 with Black Nitride finish Atlas and Atlas XL Compatible Plan B Compatible Atlas Adapter Overrun Approximately 1.050" Atlas XL Adapter No Overrun Shims NOT included with 3/4-20 or 3/4-24



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC PRS MUZZLE BRAKE 0.375 3/4-24 THREADS SQUARE SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111411
- Mfr. No.: 10203
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: 3/4-24
- Delivery weight: 0.227kg
- UPC: 850058579023

Item details

Made in USA

Table of Contents

- Startpage
- PRS Muzzle Brakes Safety Instructions
- About Us

PRS Muzzle Brakes Safety Instructions

Introduction

Thank you for choosing the PRS Muzzle Brake from Rearden Manufacturing Group LLC. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure safe use of the PRS Muzzle Brake by following all instructions.
- Always inspect the product for any visible damage before use.
- Make sure to use the product only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Always use an alignment rod to ensure proper setup.
- Clean all surfaces before installation to avoid contamination.
- Ensure the muzzle device is torqued and Rockset to the barrel securely.
- Using the muzzle brake on a Q can may void your warranty; proceed with caution.
- Torque the muzzle device to approximately 30 ft lbs for secure attachment.
- Ensure that the muzzle device is square against the shoulder during installation.
- When attaching the silencer, ensure that threads and tapers are clean.
- Torque the suppressor to 10 ft lbs to maintain proper alignment.
- Be aware that the nitride finish may lead to a tighter seal; proper installation is crucial.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including an alignment rod, torque wrench, and cleaning supplies.
- Ensure the working area is clean and welllit.

2. Installation:

- Clean the barrel and muzzle device surfaces to remove any debris or oil.
- Align the muzzle brake with the barrel using the alignment rod.
- Torque the muzzle brake to approximately 30 ft lbs.
- Confirm that the muzzle brake is square against the shoulder.
- Attach the silencer, ensuring that the threads and tapers are clean.
- Torque the suppressor to 10 ft lbs to ensure it is securely fastened.

3. Usage:

- Always wear appropriate safety gear, including eye and ear protection, when using the firearm.
- Follow all local laws and regulations regarding firearm usage.
- Regularly inspect the muzzle brake for wear or damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If applicable, return the product to the manufacturer for proper disposal.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please contact Rearden Manufacturing Group LLC directly. Ensure you have your product details ready for a more efficient response.

By following these safety instructions, you can ensure a safe and enjoyable experience with your PRS Muzzle Brake. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk