

BLYAT MUZZLE BRAKES - REARDEN MANUFACTURING GROUP LLC

BLYAT MUZZLE BRAKE 26X1.5LH THREADS FACEMOUNT

SHOULDER BLACK

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

BLYAT MUZZLE BRAKES The Blyat attaches to our Atlas adapters, making them compatible with most suppressors on the market. These have 1 1/16" wrench flats on the rear; you can use a crows foot wrench, or our Atlas Wrench. The Blyat muzzle devices are designed to face mount on 24 and 26mm threads, helping to solve many common AK alignment issues.

FEATURES: Black Nitride Finish Atlas and Atlas XL Compatible Plan B Compatible Shims Included Always use an alignment rod to ensure that the entire system is set up correctly. To install your muzzle device, first make sure all surfaces are clean. Dry fit your muzzle device on your barrel with and without shims, and ensure proper alignment. Once you have the muzzle device aligned, you can rockset and torque it onto your barrel, again checking alignment. Torque the muzzle device to approximately 30 ft lbs. When attaching your silencer to your muzzle device, ensure that all threads and tapers are clean. Torque the suppressor to 10 ft lbs. Ensure alignment again. Enjoy. The nitride finish does lead to a tighter seal, with that said, it is extremely important to torque and rockset your muzzle device to the barrel properly. If you are unsure of how to properly install and align your muzzle device or suppressor, take it to a qualified gunsmith.



Attributes

- Name: [REARDEN MANUFACTURING GROUP LLC BLYAT MUZZLE BRAKE 26X1.5LH THREADS FACEMOUNT SHOULDER BLACK](#)
- Manufacturer: [REARDEN MANUFACTURING GROUP LLC](#)
- Product no.: 430111412
- Mfr. No.: 10149
- Caliber: 375 Caliber (.375)
- Finish: Black
- Material: Stainless Steel
- Threads: M26x1LH
- Delivery weight: 0.227kg
- UPC: 850041491486

Item details

Made in USA

Table of Contents

- Startpage
- BLYAT MUZZLE BRAKE Safety Instructions
- About Us

BLYAT MUZZLE BRAKE Safety Instructions

Introduction

Thank you for purchasing the BLYAT Muzzle Brake from Rearden Manufacturing Group LLC. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain your muzzle brake effectively and safely.

General Safety Guidelines

- Ensure safe use of all nonfood products, including new technologies and online purchases.
- Be aware of risks not covered by other EU laws.
- Always check for recall updates on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.
- Remember that extra safeguards are in place for vulnerable groups, including children.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when using firearms.
- Ensure that the muzzle brake is securely attached before firing.
- Regularly inspect the muzzle brake for any signs of wear or damage.
- Do not attempt to modify the muzzle brake in any way.
- Keep the product out of reach of children and unauthorized users.
- If you are unsure about the installation or alignment of the muzzle brake, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure all surfaces are clean before installation.
- Gather necessary tools: a crows foot wrench or the Atlas Wrench.

2. Dry Fit

- Fit the muzzle device onto your barrel without shims to check for alignment.
- If necessary, fit with shims to ensure proper alignment.

3. Alignment

- Use an alignment rod to confirm that the entire system is set up correctly.
- Once aligned, proceed to secure the muzzle device.

4. Installation

- Apply rockset to the threads of the muzzle device.
- Torque the muzzle device onto your barrel to approximately 30 ft lbs.
- After securing, check alignment again.

5. Attaching the Suppressor

- Ensure that all threads and tapers are clean before attaching the suppressor.
- Torque the suppressor to 10 ft lbs.
- Verify alignment once more before use.

6. Final Inspection

- Doublecheck that the muzzle brake and suppressor are securely attached and properly aligned before firing.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the muzzle brake in household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer's contact details provided with your product packaging.

By following these safety instructions, you can ensure a safe and effective experience with your BLYAT Muzzle Brake. Thank you for prioritizing safety and compliance. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk