

HYPERLITE SCOPE RINGS - WARNE MFG. COMPANY HYPERLITE RINGS 1" MEDIUM (0.900") MATTE BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

The Warne® HyperLite™ scope rings are the ultimate lightweight optic mounting solution. Crafted from our exclusive MagnaFusion™ Alloy, these rings offer a staggering 35% weight reduction over traditional aluminum scope rings without compromising on strength or stability. This unmatched strength-to-weight ratio not only sheds valuable weight from your rifle, but ensures every shot counts, providing an unbeatable foundation for your optic. 35% lighter than standard aluminum rings Integrated recoil lug and dual-screw clamps maintain zero even under the harshest recoil Precision CNC machined and topped with Cerakote® to ensure flawless performance in any environment STANAG 4694 interface allows for better return to zero and rigidity Fits both picatinny & weaver style bases Available for 1", 30mm, and 34mm tube sizes; in Low, Medium, and High Designed and manufactured in the USA Upgrade to the Warne HyperLite Scope Rings and feel the difference that cutting-edge materials and precision engineering make. Whether you're a seasoned hunter, competitive shooter, or a professional plinker, these rings provide the perfect balance of performance and weight savings. Join the lightweight revolution with Warne HyperLite — where Every Ounce Counts.

STARTING WEIGHT AT 2.24 oz. PER PAIR.



Attributes

- Name: [WARNE MFG. COMPANY HYPERLITE RINGS 1" MEDIUM \(0.900"\) MATTE BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 430111632
- Mfr. No.: 8501M
- Finish: Black
- Height: 0.9"
- Material: Magnesium Alloy
- Scope Tube Diameter: 1"
- Size: Medium
- Style: Picatinny Rail
- Delivery weight: 0.118kg
- Shipping height: 32mm
- Shipping width: 152mm
- Shipping length: 140mm
- UPC: 656813114160

Item details

Made in USA

Table of Contents

- Startpage
- HYPERLITE SCOPE RINGS SAFETY INSTRUCTION GUIDE
- About Us

HYPERLITE SCOPE RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the Warne® HyperLite™ Scope Rings. These lightweight optic mounting solutions are designed for optimal performance and durability. This safety instruction guide provides essential information to ensure safe usage and installation of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always read and understand this safety instruction guide before using the product.
- Ensure the scope rings are compatible with your scope and rifle before installation.
- Inspect the scope rings for any signs of damage or defects before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Weight Consideration:** While the HyperLite scope rings are lightweight, ensure that your rifle can handle the reduced weight without compromising stability.
- **Recoil Management:** The integrated recoil lug and dualscrew clamps are designed to maintain zero. However, always check the alignment after heavy use or if you experience increased recoil.
- **Environmental Conditions:** The Cerakote® finish provides durability; however, avoid exposure to extreme environmental conditions that may affect performance.
- **Installation Check:** Ensure that all screws are tightened to the manufacturer's specifications to prevent loosening during use.
- **Compatibility:** These rings fit both Picatinny and Weaver style bases. Ensure proper fit before use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdriver.
- Ensure the rifle is unloaded and pointed in a safe direction.

2. Installation Steps:

- Position the scope rings on the desired base (Picatinny or Weaver).
- Align the rings to ensure they are parallel and level.
- Insert screws into the rings and handtighten them first.
- Use a torque wrench to tighten screws to the recommended torque specifications. Ensure not to overtighten, as this may damage the rings or base.

3. PostInstallation Check:

- After installation, check the alignment of the scope. Make necessary adjustments to ensure proper sighting.
- Test the stability by gently shaking the rifle to ensure there is no movement in the scope rings.

4. Usage:

- Always ensure the scope is properly secured before shooting.
- Regularly inspect the scope rings for wear and tear, especially after extensive use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling materials where possible to minimize environmental impact.

Contact Information for Further Support

For further assistance or inquiries regarding the Warne HyperLite Scope Rings, please refer to the manufacturer's website or customer support channels.

By following these safety instructions, you can ensure a safe and effective experience with your Warne HyperLite Scope Rings. Enjoy your shooting activities responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk