

HYPERLITE SCOPE RINGS - WARNE MFG. COMPANY HYPERLITE RINGS 30MM LOW (0.865") MATTE BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

The Warne® HyperLite™ scope rings are the ultimate lightweight optic mounting solution. Crafted from our exclusive MagnaFusion™ Alloy, these rings offer a staggering 35% weight reduction over traditional aluminum scope rings without compromising on strength or stability. This unmatched strength-to-weight ratio not only sheds valuable weight from your rifle, but ensures every shot counts, providing an unbeatable foundation for your optic. 35% lighter than standard aluminum rings Integrated recoil lug and dual-screw clamps maintain zero even under the harshest recoil Precision CNC machined and topped with Cerakote® to ensure flawless performance in any environment STANAG 4694 interface allows for better return to zero and rigidity Fits both picatinny & weaver style bases Available for 1", 30mm, and 34mm tube sizes; in Low, Medium, and High Designed and manufactured in the USA Upgrade to the Warne HyperLite Scope Rings and feel the difference that cutting-edge materials and precision engineering make. Whether you're a seasoned hunter, competitive shooter, or a professional plinker, these rings provide the perfect balance of performance and weight savings. Join the lightweight revolution with Warne HyperLite — where Every Ounce Counts.

STARTING WEIGHT AT 2.24 oz. PER PAIR.



Attributes

- Name: [WARNE MFG. COMPANY HYPERLITE RINGS 30MM LOW \(0.865"\) MATTE BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 430111634
- Mfr. No.: 8513M
- Finish: Black
- Height: 0.865"
- Material: Magnesium Alloy
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Picatinny Rail
- Delivery weight: 0.118kg
- Shipping height: 32mm
- Shipping width: 152mm
- Shipping length: 140mm
- UPC: 656813114184

Item details

Made in USA

Table of Contents

- Startpage
- HYPERLITE SCOPE RINGS SAFETY INSTRUCTION GUIDE
- About Us

HYPERLITE SCOPE RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the Warne HyperLite Scope Rings. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your scope rings. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that all components are free of defects before installation.
- Use only compatible optics and mounting systems as specified by the manufacturer.
- Always handle tools and equipment carefully to avoid injury.
- Store the scope rings in a safe, dry place away from children and pets.
- Regularly inspect the scope rings for wear or damage, especially after heavy use.

Specific Safety Precautions for Use

- **Weight Consideration:** The HyperLite Scope Rings are designed to be lightweight. Ensure that your rifle can support the weight reduction without affecting stability.
- **Recoil Management:** The integrated recoil lug and dualscrew clamps help maintain zero. Ensure that these features are properly engaged during installation.
- **Environmental Conditions:** The Cerakote® finish provides protection against various environmental conditions. However, avoid exposing the rings to extreme temperatures or corrosive substances.
- **Compatibility Check:** Ensure that the rings fit your specific scope and rifle setup. Using incompatible components may lead to malfunction or accidents.
- **User Responsibility:** The user is responsible for ensuring that the scope rings are installed correctly and securely.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that your rifle is unloaded and pointed in a safe direction.

2. Installation:

- Place the scope in the rings to check alignment.
- Adjust the rings to fit the scope tube diameter (30mm) and ensure they are positioned correctly on the rifle's rail (Picatinny or Weaver style).
- Tighten the screws in a crosspattern to distribute pressure evenly. Follow the recommended torque specifications provided by the manufacturer.

3. Usage:

- After installation, check that the scope is securely mounted and that the rings are properly tightened.
- Test the zero of your scope by firing a few rounds. Adjust as necessary to ensure accuracy.
- Regularly check the tightness of the screws, especially after heavy use or recoil.

Disposal Instructions

- Dispose of the scope rings and packaging materials in accordance with local regulations.
- Do not dispose of in household waste. Check for recycling options in your area.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the manufacturer's contact information provided with your product packaging or visit the official website.

By following these guidelines, you can ensure the safe and effective use of your Warne HyperLite Scope Rings. Enjoy your shooting experience and remember, safety comes first!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk