

HYPERLITE SCOPE RINGS - WARNE MFG. COMPANY HYPERLITE RINGS 30MM MEDIUM (0.990") MATTE BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

The Warne® HyperLite™ scope rings are the ultimate lightweight optic mounting solution. Crafted from our exclusive MagnaFusion™ Alloy, these rings offer a staggering 35% weight reduction over traditional aluminum scope rings without compromising on strength or stability. This unmatched strength-to-weight ratio not only sheds valuable weight from your rifle, but ensures every shot counts, providing an unbeatable foundation for your optic. 35% lighter than standard aluminum rings Integrated recoil lug and dual-screw clamps maintain zero even under the harshest recoil Precision CNC machined and topped with Cerakote® to ensure flawless performance in any environment STANAG 4694 interface allows for better return to zero and rigidity Fits both picatinny & weaver style bases Available for 1", 30mm, and 34mm tube sizes; in Low, Medium, and High Designed and manufactured in the USA Upgrade to the Warne HyperLite Scope Rings and feel the difference that cutting-edge materials and precision engineering make. Whether you're a seasoned hunter, competitive shooter, or a professional plinker, these rings provide the perfect balance of performance and weight savings. Join the lightweight revolution with Warne HyperLite — where Every Ounce Counts.

STARTING WEIGHT AT 2.24 oz. PER PAIR.



Attributes

- Name: [WARNE MFG. COMPANY HYPERLITE RINGS 30MM MEDIUM \(0.990"\) MATTE BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 430111635
- Mfr. No.: 8514M
- Finish: Black
- Height: 0.990"
- Material: Magnesium Alloy
- Scope Tube Diameter: 30mm
- Size: Medium
- Style: Picatinny Rail
- Delivery weight: 0.118kg
- Shipping height: 32mm
- Shipping width: 152mm
- Shipping length: 140mm
- UPC: 656813114191

Item details

Made in USA

Table of Contents

- Startpage
- HYPERLITE SCOPE RINGS Safety Instruction Guide
- About Us

HYPERLITE SCOPE RINGS Safety Instruction Guide

Introduction

Thank you for choosing the Warne® HyperLite™ Scope Rings. These lightweight optic mounting solutions are designed for optimal performance and durability. Please read this safety instruction guide carefully to ensure safe use and proper installation of your scope rings. Your safety is our priority.

General Safety Guidelines

- Ensure that the scope rings are compatible with your rifle and scope specifications before installation.
- Always inspect the scope rings for any visible damage or defects before use.
- Follow all manufacturer instructions for installation and usage to avoid accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose as described in this guide.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before installing or adjusting the scope rings.
- Use appropriate tools to avoid damage to the scope rings or your rifle.
- Do not exceed the recommended torque specifications when tightening screws to prevent damage.
- Regularly check the scope rings for tightness and stability, especially after heavy use or transportation.
- Be cautious of sharp edges on the scope rings during installation and handling.
- Avoid exposing the scope rings to extreme temperatures or harsh chemicals that may affect their integrity.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench, screwdriver, and any other required equipment.
- Ensure the rifle is in a stable position, preferably on a gun rest or similar support.

2. Installation Steps

- Remove any existing scope rings or mounts from your rifle.
- Clean the mounting surface on the rifle to ensure a secure fit.
- Place the HyperLite scope rings onto the appropriate base (Picatinny or Weaver style).
- Align the rings with the scope tube and adjust as necessary.
- Using the torque wrench, tighten the screws to the manufacturer's recommended torque specifications (do not overtighten).
- Once installed, check that the scope is securely held in place and does not move.

3. Usage Tips

- After installation, take a few test shots to ensure that the scope maintains zero.
- If adjustments are needed, follow the same installation steps to ensure proper alignment and security.

Disposal Instructions

- Dispose of the scope rings in accordance with local regulations.
- If the product is damaged beyond use, ensure that it is recycled or disposed of in an environmentally friendly manner.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any safety inquiries or support related to the Warne® HyperLite™ Scope Rings, please refer to the official website or contact your local retailer for assistance.

Thank you for choosing Warne MFG. Company. We appreciate your commitment to safety and performance. Enjoy your shooting experience with the HyperLite Scope Rings!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk