

M5 (.308) ATLAS S-ONE M-LOK FREE FLOATING HANDGUARDS FOR AR 308 - M5 (.308) ATLAS S-ONE 15" HANDGUARD M-LOK FOR AR-308 KODIAK

The ATLAS S-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the S-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Aero's proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 12.7" - 7.66 oz / 15" - 8.71 oz Aero Precision rail lengths measure from end to end. This is the point of contact at the receiver to the end of the last picatinny slot at the muzzle. Mounting Hardware Weight: 4.72 oz (same across all S-ONE Handguard options) FEATURES: Front and rear picatinny rail Eliminated center of top rail for weight reduction Indexing grooves in 12:00 position for positive grip control Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with mil-spec AR15 upper receivers and barrels NOT Compatible with M5E1 Enhanced Upper Receivers SPECS Made In America? Yes Platform M5 Series ATLAS Attachment Type M-LOK Material Machined from 6061-T6 aluminum M-LOK Handguard Weights: 12.7" - 7.66 oz / 15" - 8.71 oz Other Mounting Hardware Weight: 4.72 oz ATLAS Handguards are designed to match seamlessly with Aero's M5E1 Threaded Upper Receivers. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. PLEASE NOTE: These handguards do not come with a wrench. A standard armorers wrench will work with all M5 ATLAS Handguards.



Attributes

- Name: M5 (.308) ATLAS S-ONE 15" HANDGUARD M-LOK FOR AR-308 KODIAK
- Manufacturer: AERO PRECISION
- Product no.: 430112202
- Mfr. No.: APRA538217A
- Color: Kodiak Brown
- Length: 15"
- Make: AR .308
- Material: -
- Style: -
- Type: M-LOK
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 457mm
- UPC: 840014618057

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den M5 \(.308\) ATLAS SONE MLOK Handguard](#)
- [English: Safety Instruction Guide for M5 \(.308\) ATLAS SONE MLOK Free Floating Handguards](#)

Sicherheitshinweise für den M5 (.308) ATLAS SONE MLOK Handguard

Einleitung

Herzlichen Glückwunsch zum Kauf des M5 (.308) ATLAS SONE MLOK Handguards von Aero Precision. Dieses Produkt wurde entwickelt, um Ihnen eine sichere und zuverlässige Nutzung zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um potenzielle Gefahren zu vermeiden und die bestmögliche Leistung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die Bedienungsanleitung vollständig gelesen und verstanden haben, bevor Sie das Produkt verwenden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und schutzbedürftigen Personen.
- Überprüfen Sie regelmäßig auf Abnutzungen oder Beschädigungen, bevor Sie das Produkt verwenden.
- Melden Sie unsichere Produkte oder Unfälle an die zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie den Handguard nur mit kompatiblen M5E1 Oberempfängern und Läufen.
- Achten Sie darauf, dass alle Montagehardwareteile ordnungsgemäß installiert sind, um ein sicheres und stabiles Design zu gewährleisten.
- Vermeiden Sie übermäßigen Druck oder Gewalt während der Installation, um Verzerrungen des Handguards zu vermeiden.
- Verwenden Sie nur den empfohlenen StandardWaffenmeisterSchraubenschlüssel zur Installation.
- Tragen Sie geeignete Schutzausrüstung (z. B. Augen und Gehörschutz), wenn Sie mit dem Handguard arbeiten.

Anweisungen zur Installation und Nutzung

1. Vorbereitung:

- Stellen Sie sicher, dass Sie alle benötigten Werkzeuge und Teile haben.
- Überprüfen Sie den Handguard auf Beschädigungen oder Mängel.

2. Installation:

- Entfernen Sie alle alten Handguards, falls vorhanden.
- Platzieren Sie den ATLAS SONE Handguard auf dem Empfänger.
- Verwenden Sie die mitgelieferte Montagehardware, um den Handguard sicher zu befestigen.
- Achten Sie darauf, dass der rastende Stift korrekt eingesetzt ist, um eine positive Registrierung während der Installation zu gewährleisten.

3. Nutzung:

- Überprüfen Sie regelmäßig den Handguard auf festen Sitz und Stabilität.
- Verwenden Sie den Handguard nur in Kombination mit geeigneten Zubehörteilen, die mit MLOK kompatibel sind.

Entsorgungsanweisungen

- Entsorgen Sie alle Verpackungsmaterialien gemäß den örtlichen Vorschriften.
- Wenn das Produkt nicht mehr benötigt wird, stellen Sie sicher, dass es umweltgerecht entsorgt wird.
- Informieren Sie sich über Recyclingmöglichkeiten in Ihrer Nähe.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Informationen zu Sicherheitsanfragen oder Produktproblemen, wenden Sie sich bitte an den Hersteller oder den Verkäufer, bei dem Sie das Produkt erworben haben. Achten Sie darauf, alle relevanten Informationen über das Produkt bereitzustellen, um eine schnelle und effektive Unterstützung zu erhalten.

Bitte beachten Sie, dass diese Sicherheitshinweise regelmäßig aktualisiert werden. Überprüfen Sie die EU Safety Gate-Plattform auf Rückrufupdates und weitere Informationen zu Sicherheitsfragen.

Safety Instruction Guide for M5 (.308) ATLAS SONE MLOK Free Floating Handguards

Introduction

Thank you for choosing the M5 (.308) ATLAS SONE MLOK Free Floating Handguards for your AR308. This guide is designed to ensure your safety and the proper use of the product. Please read the instructions carefully before installation and use.

General Safety Guidelines

- Ensure you are familiar with the handling and operation of firearms before using this product.
- Always follow local laws and regulations regarding firearm accessories.
- Inspect the handguard and its components for any damage before installation.
- Keep the handguard and all accessories out of reach of children.
- Use the product only for its intended purpose as described in this guide.
- Report any unsafe products or incidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure the firearm is unloaded before beginning installation.
- Do not exceed the recommended torque specifications when attaching the handguard.
- Be cautious of sharp edges during installation and handling.
- Do not modify the handguard or its components in any way.
- If you experience any issues during installation or use, cease use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a standard armorers wrench (not included).
- Ensure your workspace is clean and welllit.

2. Installation Steps

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing handguard from the AR308 by loosening the mounting hardware.
- Inspect the barrel nut and ensure it is clean and free from debris.
- Align the ATLAS SONE Handguard with the barrel nut and slide it into place.
- Secure the handguard using the provided locking nuts, ensuring even pressure is applied.
- Use the turnbuckle screw to tighten the locking nuts, ensuring the handguard is securely mounted.
- Check for proper alignment and stability before use.

3. Usage Guidelines

- Regularly inspect the handguard for signs of wear or damage.
- Maintain the handguard by cleaning it with appropriate materials to avoid corrosion.
- Follow all manufacturer recommendations for compatible accessories.

Disposal Instructions

- Dispose of the handguard and any packaging materials in accordance with local regulations.
- Recycle materials where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries or concerns regarding the M5 (.308) ATLAS SONE Handguards, please refer to the manufacturer's contact information provided with your product.

By following these guidelines, you can ensure safe and effective use of your M5 (.308) ATLAS SONE MLOK Free Floating Handguards. Thank you for your attention to safety and proper usage.