

AR 308 M5 ATLAS R-ONE HANDGUARDS M-LOK - AERO PRECISION M5 (.308) ATLAS R-ONE 12.7" HANDGUARD M-LOK FOR AR-308 ODG

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The ATLAS R-ONE is the newest addition to the Aero Precision Handguard lineup. Machined from 6061-T6 Aluminum, the R-ONE line of handguards are designed with size and weight in mind, providing the perfect handguard for your lightweight build. Our proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability customers have grown to love from Aero Precision handguards. ATLAS The new Aero Taper Lock Attachment System (ATLAS) is both functional and aesthetically pleasing. It features 2 mirrored tapered locking nuts that provide evenly distributed clamping pressure across a custom engineered barrel nut with use of a turnbuckle screw. A ratcheting detent further secures the design while providing positive registration during installation. By design, the even pressure of the ATLAS system avoids distortion of the handguard often seen with current applications during installation. All hardware mounting parts are included with the purchase of an ATLAS Handguard. LIGHTWEIGHT BY DESIGN M-LOK Handguard Weights: 12.7" - 8.79 oz / 15" - 10.6 oz Mounting Hardware Weight: 4.72 oz (same across all ATLAS Handguard options) FEATURES: Full top picatinny rail for optional attachments Quick disconnect sling socket at the 3, 6 and 9 o'clock positions Compatible with low profile gas blocks 1.3" Inside diameter 1.5" Outside diameter Compatible with AR308 upper receivers and barrels NOT Compatible with M5E1 Enhanced Upper Receivers ATLAS Handguards are designed to match seamlessly with Aero's M5E1 Threaded Upper Receivers. However, they may not be compatible with billet upper receivers due to indexing tabs. Save when you buy them as a combo. PLEASE NOTE: These handguards do not come with a wrench. A standard armorers wrench will work with all M5 ATLAS Handguards.



Attributes

- Name: [AERO PRECISION M5 \(.308\) ATLAS R-ONE 12.7" HANDGUARD M-LOK FOR AR-308 ODG](#)
- Manufacturer: [AERO PRECISION](#)
- Product no.: 430112208
- Mfr. No.: APRA538287A
- Colour: O.D. Green
- Length: 12.7"
- Type: M-LOK
- Weapon type: AR .308
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 51mm
- Shipping length: 457mm
- UPC: 840014622511

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR 308 M5 ATLAS RONE Handguards](#)
- [About Us](#)

Safety Instruction Guide for AR 308 M5 ATLAS RONE Handguards

Introduction

Thank you for choosing the AR 308 M5 ATLAS RONE Handguards. This guide provides essential safety instructions and guidelines for the proper use and handling of your handguard. Please read this document carefully to ensure safe and effective usage.

General Safety Guidelines

- Ensure the handguard is compatible with your firearm before installation.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Inspect the handguard and all mounting hardware for any damage before use.
- Keep the handguard and all firearm accessories out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or adjusting the handguard.
- Avoid using excessive force during installation to prevent damage to the handguard or firearm.
- Do not use the handguard if it shows signs of wear or damage.
- Be cautious of sharp edges during installation and handling.
- Ensure that all mounting hardware is securely fastened before using the firearm.
- Regularly check the handguard and mounting hardware for tightness and integrity.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a standard armorer's wrench (not included).
- Ensure you have a clean, well-lit workspace.

2. Installation Steps

- Ensure the firearm is unloaded.
- Remove the existing handguard (if applicable) by loosening the mounting hardware.
- Align the AR 308 M5 ATLAS RONE Handguard with the barrel nut and secure it in place.
- Use the armorer's wrench to tighten the locking mechanism according to the manufacturer's specifications.
- Install any additional accessories, ensuring they are compatible with the MLOK system.

3. Post-Installation Check

- Verify that the handguard is securely attached and that there are no loose parts.
- Conduct a function check of the firearm to ensure proper operation.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste regulations.
- If the handguard is damaged beyond repair, follow local guidelines for safe disposal of metal and aluminum products.

- Do not dispose of the handguard in regular household waste if it contains any hazardous materials.

Contact Information for Further Support

For any questions regarding safety, installation, or usage, please contact your retailer or the manufacturer directly. Ensure you have your product details handy for a more efficient response.

Thank you for prioritizing safety and compliance with these guidelines. Enjoy your AR 308 M5 ATLAS RONE Handguards responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk