

2.91 FTC (FLIP TO CENTER) OMNI MAGNIFIER MOUNT - GBRS

GROUP 2.91 FTC OMNI MAGNIFIER MOUNT FDE

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

GBRS GROUP 2.91 FTC (FLIP TO CENTER) OMNI MAGNIFIER MOUNT Utilizing UNITY™ Tactical's revolutionary Flip-to-Center technology, the 2.91 FTC (Flip-to-Center) brings any magnifier to the 2.91 height to pair with the GBRS Group Hydra Mounting Systems. The 2.91 FTC Mount employs a simple force-to-overcome mechanism and stows the magnifier below the optical sight plane and completely within the footprint of the weapon's receiver when not in use. This eliminates the flip-to-side placement of legacy products, in which users receive all the benefits of magnification when required with no occlusion of sight pictures when stowed. SPECIFICATIONS: Height: 2.91" to Optic Center Line Mechanism: Force-to-Overcome Rail Mount: QD lever Dimensions: 2.25" L x 2.72" W x 2.78" (stowed) or 4.00" (raised) Materials: 7075 T6 Aluminum Weight: 5.2oz Coating: Type III Hardcoat Anodized Compatibility: EOTech® G23, G30, G33, G43, G45 Holosun™ HM3X, HM3XT (as of June 2024) Sig Sauer® JULIET3 3X, JULIET3-MICRO 3X, JULIET4 4X, JULIET5-MICRO 5X Trijicon® 3X MAG-C Vortex® VMX-3T, Micro3X, Micro6X



Attributes

- Name: [GBRS GROUP 2.91 FTC OMNI MAGNIFIER MOUNT FDE](#)
- Manufacturer: [GBRS GROUP](#)
- Product no.: 430114634
- Mfr. No.: GEAR-FTCOMNI-FDE
- Colour: Flat Dark Earth
- Fits / Used For: EOTech G23, EOTech G43, Sig Sauer JULIET3 3X, Trijicon 3X Mag-C, Vortex VMX-3T, EOTech G30, EOTech G33, Holosun HM3X, Holosun HM3XT, JULIET3-MICRO 3X, JULIET4 4X, JULIET5-MICR, Vortex Micro3X, Vortex Micro6X
- Height: 4"
- Weight: 0.325 lbs
- Delivery weight: 0.907kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 850056753845

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 2.91 FTC \(Flip to Center\) Omni Magnifier Mount](#)
- [About Us](#)

Safety Instruction Guide for the 2.91 FTC (Flip to Center) Omni Magnifier Mount

Introduction

Thank you for choosing the GBRS Group 2.91 FTC (Flip to Center) Omni Magnifier Mount. This product is designed to enhance your optical sight experience by utilizing advanced technology for easy magnifier access. To ensure your safety and the proper functioning of this product, please read and follow the guidelines outlined in this manual.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the 2.91 FTC Omni Magnifier Mount by following all instructions provided. This product is designed to meet EU safety standards.
- **Potential Hazards:** Be aware of potential hazards such as improper installation, misuse, or failure to follow safety guidelines, which may lead to accidents or injuries.
- **Enhanced Recalls:** Stay informed about product recalls and safety notices. In the event of a recall, follow the provided guidelines for returning or exchanging the product.
- **Online Shopping:** If purchased online, ensure that the retailer complies with EU safety requirements and offers a safe shopping experience.
- **Vulnerable Groups:** Special care should be taken when using this product around children or individuals who may not fully understand its operation.
- **Rapid Alerts:** Be aware of the EU's Safety Gate system for updates on unsafe products.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the mount is properly installed before use.
 - Check for any visible damage or defects before installation.
- **Usage Precautions:**
 - Always use the mount in accordance with the instructions provided.
 - Do not exceed the weight limit specified for the mount.
 - Avoid using the mount in extreme weather conditions that may affect its performance.
- **Maintenance Precautions:**
 - Regularly inspect the mount for wear and tear.
 - Clean the mount with a soft, dry cloth to avoid damage.
- **Storage Precautions:**
 - Store the mount in a cool, dry place when not in use.
 - Ensure it is out of reach of children.

Instructions for Installation and Usage

Installation

1. **Preparation:**
 - Ensure you have all necessary tools and components before starting the installation.
 - Read the entire installation manual before proceeding.
2. **Mounting the Magnifier:**
 - Align the mount with the designated rail on your weapon.
 - Secure the mount using the QD lever, ensuring it is tightly fastened.
3. **Adjusting the Height:**
 - Use the force to overcome mechanism to adjust the height of the magnifier to the optimal 2.91 inches.

- Test the adjustment by flipping the magnifier to ensure it locks securely in both raised and stowed positions.

Usage

1. Using the Magnifier:

- To engage the magnifier, flip it up into the raised position.
- Ensure the magnifier is securely locked before aiming.

2. Stowing the Magnifier:

- When not in use, gently flip the magnifier down to stow it below the optical sight plane.
- Confirm that it is fully stowed to avoid obstruction.

Disposal Instructions

- **Environmental Considerations:** Dispose of the product in accordance with local regulations regarding electronic waste and materials.
- **Recycling:** Where possible, recycle the mount and its components to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please refer to the manufacturer's website or customer support channels for assistance.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your 2.91 FTC (Flip to Center) Omni Magnifier Mount. Always prioritize safety and proper use to maximize the benefits of this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk