

EXTENDED SLIDE RELEASE FOR GLOCK® 43/43X/48 - TYRANT CNC

EXTENDED SLIDE RELEASE FOR GLOCK 42/43/43X/48 GRAY

[Handgun Parts](#) > [Frame Parts](#) > [Slide Catch Parts](#) > [Slide Catches](#)

Introducing the first-ever Glock Extended Slide Release to be CNC Machined! Made from 6061 Aluminum and hard coat anodized their drop-in replacement Glock slide stop is the perfect upgrade for your pistol. Their Glock extended slide release adds surface area and a raised texture that greatly improves usability for all! It is the perfect upgrade for concealed carry AND competition. Never again will your thumb slip while manipulating your Glock slide release! What is it? This drop-in replacement Glock extended slide stop release lever has a surface area extended over the OEM size. It arrives fully assembled with spring and is offered for multiple Glock models. Why use it? One of the main flaws of the Glock Factory release lever is that it offers very little surface area and/or texture. This results in the operator occasionally slipping when attempting to manipulate the lever. Their Glock slide release offers an extended AND raised surface area to ensure easy manipulation of the Glock slide. It is easy to install, functions great, and looks fantastic! For Generation: All For Gun Model: 42 43 43x 48 Caliber: 9mm Disclaimer: When using a relatively new and fully loaded magazine ensure you are using adequate force when loading the magazine in order to maintain the proper function of this ESR. We always recommend taking the slide out of battery with your hand.



Attributes

- Name: [TYRANT CNC EXTENDED SLIDE RELEASE FOR GLOCK 42/43/43X/48 GRAY](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430114667
- Mfr. No.: TD-GSTOP-48-G
- Caliber: 9 mm (.355-.356)
- Finish: Gray
- Model: 43X,42,43,48
- Weapon type: Glock
- Delivery weight: 0.023kg
- Shipping height: 76mm
- Shipping width: 6mm
- Shipping length: 102mm

Item details

Made in USA
US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® 43/43X/48 TYRANT CNC
- About Us

Safety Instruction Guide for EXTENDED SLIDE RELEASE FOR GLOCK® 43/43X/48 TYRANT CNC

Introduction

Thank you for choosing the EXTENDED SLIDE RELEASE FOR GLOCK® 43/43X/48 by TYRANT CNC. This product is designed to enhance the usability of your Glock pistol by providing an extended slide release lever that improves grip and control. Please read this safety instruction guide carefully to ensure safe use and proper installation of the product.

General Safety Guidelines

- Ensure that the product is compatible with your Glock model (42, 43, 43X, 48) before use.
- Always handle firearms and firearm accessories with care and follow all safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- Do not use the product if it is damaged or does not function correctly.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- When using a relatively new and fully loaded magazine, ensure you are using adequate force when loading the magazine to maintain proper function of the Extended Slide Release (ESR).
- Always take the slide out of battery with your hand before performing any maintenance or installation.
- Avoid using excessive force when manipulating the slide release to prevent potential injury or damage to the firearm.
- If you experience any slipping while using the slide release, stop using the product and consult a professional.

Instructions for Installation and Usage

Installation Steps

1. **Remove the Slide:** Ensure the firearm is unloaded. Remove the slide from the frame of the Glock.
2. **Remove the OEM Slide Release:** Using a suitable tool, carefully remove the original slide release lever from the slide.
3. **Install the Extended Slide Release:** Align the new Extended Slide Release with the mounting area on the slide. Ensure it is seated properly.
4. **Reassemble the Slide:** Place the slide back onto the frame of the Glock, ensuring everything is aligned correctly.
5. **Test Functionality:** Manipulate the slide release to ensure it operates smoothly and without obstruction.

Usage Guidelines

- Use your thumb to operate the slide release when necessary. The extended surface area is designed for improved grip.
- Practice using the slide release in a safe environment to become familiar with its operation.
- Always ensure the firearm is pointed in a safe direction when manipulating the slide release.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and firearm accessory disposal.

- Do not dispose of the product in regular household waste. Check for local recycling programs that accept metal products.

Contact Information for Further Support

For any inquiries, concerns, or additional support regarding the EXTENDED SLIDE RELEASE, please refer to the manufacturer's website or contact their customer service directly. Ensure you have your purchase information available for reference.

By following these guidelines, you can ensure the safe and effective use of your EXTENDED SLIDE RELEASE FOR GLOCK® 43/43X/48. Thank you for your attention to safety and proper usage. Enjoy your enhanced shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk