

UNITY™ TACTICAL AXON™ SWITCH W/LINK™ USB-C/CRANE LASER LEADS - GBRS GROUP UNITY TACT AXON SWITCH 7" LINK USB-C/14" CRANE LASR LEAD BLK

GBRS GROUP UNITY™ TACTICAL AXON™ SWITCH W/LINK™ USB-C /CRANE LASER LEADS The pinnacle of remote switch design for weapon-mounted accessories, UNITY™ Tactical's AXON™ provides complete control of lights and lasers in a single, compact and rugged housing. AXON™ is the direct result of operational feedback from professional end-users on their industry-leading switch technology. Lights and lasers can be fired from individual buttons with versions available for popular issued devices. Standard AXON™ models feature each button firing devices independently. SYNC models fire the laser independently (flat button), while the angled button will fire both light and laser simultaneously. NGAL variants operate in a SYNC capacity, but offer a visible override feature for light and laser. AXON™ mounts directly to M1913 Rail or M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit), while the Rail Clamps feature pass-throughs for zip ties. Its unique design provides tactile differentiation between the two buttons to eliminate confusion in dark, cold and high-stress situations. The light (angled) button features a switch that allows for both momentary and constant activation, while the laser (flat) button features a momentary-only button that supports the laser's double-click-for-constant-on feature. GBRS Group is the exclusive retailer of AXON™ 10" and 14" models with extended-length cables, which complements use with their Hydra mount. GBRS offers AXON™ Mode Select models with 7" SureFire® cables or 7" Link™ USB-C with either 10" Crane cables, 14" Crane cables, or 14" NGAL cables. SPECS Rail Mount: MIL-STD M1913, M-LOK® (w/ optional UNITY™ M-LOK® Mounting Kit) Dimensions: 1.3"W x 2.8"L x 1.1"H (3.3 x 7.1 x 2.8 cm) Weight: 1.7 oz (48.2g) Material: High-Impact Polymer Cable Length: 7" Link™ USB-C Cable / 10" Crane Cable, 7" Link™ USB-C Cable / 14" Crane Cable Recommended Torque: 5 In./Lbs (0.57 Nm) *NOTE: Over-torquing fasteners can damage your mount and/or your optic and will void your warranty. Using thread locking compounds, such as Loctite® or others, is not recommended and will void your warranty. COMPATIBILITY: Link™ USB-C System NATO Crane-Spec Port WARRANTY: One-Year Warranty through UNITY™ Tactical. For more info visit UNITY™ Tactical.



Attributes

- Name: GBRS GROUP UNITY TACT AXON SWITCH 7" LINK USB-C/14" CRANE LASR LEAD BLK
- Manufacturer: GBRS GROUP
- Product no.: 430114848
- Mfr. No.: GEAR-AXN-UC7I14B
- Colour: Black
- Model Number: 7" Link USB-C / 14" Laser Lead
- Delivery weight: 0.68kg
- Shipping height: 76mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 810007883427

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instructions Guide for UNITY Tactical AXON Switch](#)

Safety Instructions Guide for UNITY Tactical AXON Switch

Introduction

Thank you for choosing the UNITY Tactical AXON Switch. This guide provides essential safety instructions and information to ensure the safe and effective use of the product. Please read this manual carefully before using the AXON Switch.

General Safety Guidelines

- Ensure that all users of the UNITY Tactical AXON Switch are familiar with the product and its operation.
- Use the product only for its intended purpose as outlined in this manual.
- Always follow local laws and regulations regarding the use of weaponmounted accessories.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the AXON Switch for any signs of damage or wear. Do not use if damaged.
- If you experience any issues during operation, cease use immediately and consult a qualified technician.

Specific Safety Precautions for Use

- **Electrical Safety:** Ensure that the USBC connection is secure and free from debris before use.
- **Mechanical Safety:** Avoid overtorquing the fasteners during installation. Use a torque of 5 In./Lbs (0.57 Nm) as recommended.
- **Environmental Safety:** Do not expose the AXON Switch to extreme temperatures, moisture, or corrosive substances.
- **Operational Safety:** Familiarize yourself with the function of each button before use to prevent accidental activation.
- **Storage Safety:** Store the AXON Switch in a dry, cool place when not in use to prevent damage.

Instructions for Installation and Usage

Installation

1. Mounting:

- Attach the AXON Switch to a compatible M1913 Rail or MLOK® using the provided mounting kit.
- Ensure that the switch is securely fastened and that the Rail Clamps are properly engaged.
- Utilize zip ties through the passthroughs if additional security is needed.

2. Cable Connection:

- Connect the 7" Link™ USBC cable or the 10" Crane cable as required for your setup.
- Ensure that the connection is secure and that cables are not pinched or damaged.

Usage

- **Button Functions:**
 - The angled button activates the light and can be used for momentary or constant activation.
 - The flat button activates the laser and is designed for momentary use only.
- **Operational Modes:**
 - For SYNC models, use the flat button to fire the laser independently while the angled button activates both light and laser simultaneously.
 - Ensure that you are familiar with the doubleclick feature for constant activation of the laser.

Disposal Instructions

- Dispose of the UNITY Tactical AXON Switch in accordance with local regulations regarding electronic waste.
- Do not dispose of the product in household waste.
- Consider recycling options for materials where possible.

Contact Information for Further Support

For any inquiries regarding safety, usage, or technical support, please contact the manufacturer directly. Ensure to have your product information ready for assistance.

Conclusion

By following these safety instructions, you can ensure the effective and safe use of the UNITY Tactical AXON Switch. Always prioritize safety and compliance with local laws and regulations while using this product. Thank you for your attention to these guidelines.