

# PARKER HALE STYLE JAGS - DEWEY 6MM PARKER HALE JAG (MALE THREAD)

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

These jags are wrap style jags with a blunt nose. Jags grip patches tightly. Great for use with J-B or when applying solvent such as Sweet's. Parker Hale style jags are available with male or female threads. Male or Female threads match standard threads for the bore diameter selected. Female style mate with Dewey coated rods. Male style mate with Dewey stainless and other brands with standard cleaning rod threads.



## Attributes

- Name: [DEWEY 6MM PARKER HALE JAG \(MALE THREAD\)](#)
- Manufacturer: [DEWEY](#)
- Product no.: 749000404
- Mfr. No.: 24PH
- Caliber: 243 Caliber,6mm
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 608060200820

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instructions for PARKER HALE STYLE JAGS DEWEY 6MM PARKER HALE JAG \(MALE THREAD\)](#)
- [About Us](#)

# Safety Instructions for PARKER HALE STYLE JAGS DEWEY 6MM PARKER HALE JAG (MALE THREAD)

## Introduction

Thank you for choosing the PARKER HALE STYLE JAGS DEWEY 6MM PARKER HALE JAG. This product is designed for cleaning firearms and ensuring optimal performance. Please read this safety instruction guide carefully to ensure safe and effective use.

## General Safety Guidelines

- Always handle cleaning jags with care to avoid injury.
- Keep the jags out of reach of children and vulnerable individuals.
- Inspect the product for damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.
- Be aware of potential hazards associated with cleaning solvents and patches.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before cleaning.
- Use only compatible patches with the jags to ensure a proper fit.
- Avoid using excessive force when attaching or detaching the jag from the cleaning rod.
- Use the jags in a wellventilated area, especially when applying solvents.
- Wear protective gloves and eyewear when using solvents to avoid skin and eye contact.

## Instructions for Installation and Usage

### 1. Selecting the Correct Jag:

- Choose the appropriate jag based on the caliber of your firearm (e.g., 6mm or .243 caliber).
- Ensure that you have the correct malethreaded jag for your cleaning rod.

### 2. Attaching the Jag:

- Align the jag with the threaded end of the cleaning rod.
- Gently twist the jag onto the rod until secure. Do not overtighten.

### 3. Using the Jag:

- Insert a cleaning patch onto the jag, ensuring it grips tightly.
- Apply solvent to the patch if using a cleaning solution.
- Insert the jag into the bore of the firearm, moving it back and forth gently to clean.
- After cleaning, remove the jag by twisting it counterclockwise.

### 4. Cleaning and Maintenance:

- After use, clean the jag with a suitable solvent to remove residue.
- Store the jag in a dry, safe place away from children.

## Disposal Instructions

- Dispose of used patches and any cleaning solvents according to local regulations.
- Do not dispose of the jag in regular household waste. Check for recycling options or hazardous waste

disposal facilities.

## **Contact Information for Further Support**

For any inquiries regarding safety or product issues, please contact the relevant authorities or your local distributor. Always report unsafe products or accidents to the proper authorities and check for recall updates on the EU's Safety Gate platform.

Thank you for your attention to safety and for choosing PARKER HALE STYLE JAGS DEWEY 6MM PARKER HALE JAG. Your careful adherence to these guidelines will help ensure a safe and effective cleaning experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)