

SINCLAIR STAINLESS STEEL PILOTS - PILOT STOP, STAINLESS STEEL, 25 CALIBER

[Reloading](#) > [Case Preparation](#) > [Flash Hole Tool Pilots](#)

We manufacture pilots for our flash hole tool and our Neck Thickness/Variance Gauge. Our pilots are precision machined from stainless steel on CNC turning centers to properly fit new, unfired case necks. Available for rifle and pistol cartridges from 22 thru 45 caliber. Not for use on .50 BMG. 50 BMG flash hole diameter is larger.



Attributes

- Name: [PILOT STOP, STAINLESS STEEL, 25 CALIBER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749001036
- Mfr. No.: 26257
- Caliber: 25 Caliber (.257)
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Stainless Steel Pilots
- About Us

Safety Instruction Guide for Sinclair Stainless Steel Pilots

Introduction

Thank you for choosing the Sinclair Stainless Steel Pilots. This guide provides important safety information to ensure the safe use of this product. Please read the following instructions carefully before using the pilots.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls and updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses and gloves, when handling the pilots.
- Use the pilots only with compatible flash hole tools and gauges as indicated.
- Do not attempt to modify or alter the pilots in any way.
- Ensure that the work area is clean and free from obstructions to prevent accidents.
- Avoid using the pilots on .50 BMG cartridges, as the flash hole diameter is larger than the pilots are designed for.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your workspace is clean and welllit.
- Gather all necessary tools and equipment before beginning.

2. Installation:

- Insert the pilot into the designated flash hole tool or Neck Thickness/Variance Gauge.
- Ensure that the pilot is securely fitted and does not wobble or move.

3. Usage:

- Follow the specific instructions for your flash hole tool or gauge regarding measurement and operation.
- Do not exceed the recommended caliber specifications (22 through 45 caliber).
- After use, remove the pilot carefully and store it in a safe place.

Disposal Instructions

- Dispose of the pilots in accordance with local regulations regarding metal waste.
- Do not throw the pilots in regular household waste. Check for local recycling programs that accept metal products.

Contact Information for Further Support

For any questions or concerns regarding the Sinclair Stainless Steel Pilots, please refer to the product packaging for contact information. It is important to reach out to the manufacturer or an authorized dealer for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your Sinclair Stainless Steel Pilots. Thank you for your attention to safety!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at