

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .247

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .247](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002445
- Mfr. No.: B-247
- Diameter (in): .247
- Delivery weight: 0.032kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 815145024374

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .247 Safety Instructions](#)
- [About Us](#)

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .247 Safety Instructions

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .247. This product is designed for precision neck sizing of cartridge cases. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle the neck bushing with care to avoid injury.
- Ensure that the bushing is compatible with your specific die and reloading setup.
- Use the neck bushing only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the neck bushing for signs of wear or damage before each use.
- If you notice any defects or irregularities, discontinue use immediately.

Specific Safety Precautions for Use

- When measuring the outside neck diameter of your loaded cartridge, be precise to avoid sizing errors.
- It is recommended to wear safety glasses while performing reloading tasks to protect your eyes from potential debris.
- Avoid using excessive force when inserting or removing the neck bushing from the die.
- Do not attempt to modify or alter the neck bushing in any way, as this may lead to unsafe conditions.
- Be cautious of sharp edges on the bushing that may cause cuts or injuries.

Instructions for Installation and Usage

1. Measurement:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from the measurement to determine the correct bushing size.

2. Installation:

- Ensure the die is clean and free from debris.
- Insert the neck bushing into the die with the markings facing up (unless using the emergency method).
- Tighten the die according to the manufacturer's instructions.

3. Usage:

- Insert the cartridge case into the die and apply consistent pressure to size the neck.
- If the brass has hardened and does not hold the bullet, turn the bushing over with the markings facing down for a tighter fit.
- Monitor the sizing process closely to ensure the desired neck tension is achieved.

4. Postusage:

- Remove the neck bushing from the die and clean it thoroughly after use.
- Store the bushing in a safe and dry place, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of the neck bushing responsibly according to local regulations.
- Do not dispose of the bushing in regular household waste if it is damaged or worn out.
- Check with local recycling facilities for proper disposal methods for metal products.

Contact Information for Further Support

For any questions or concerns regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .247, please reach out to the appropriate support channels provided by the manufacturer or retailer.

By following these safety instructions, you can ensure a safe and effective reloading experience. Thank you for your attention to these guidelines, and happy reloading!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk