

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .264

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .264](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002448
- Mfr. No.: B-264
- Diameter (in): .264
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145024541

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .264 Safety Instruction Guide
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .264 Safety Instruction Guide

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .264. This guide provides essential safety information, usage instructions, and disposal recommendations to ensure the safe and effective use of this product. Please read this guide thoroughly before using the product.

General Safety Guidelines

- Ensure safe use of the neck sizing bushing by following all instructions.
- Be aware of potential hazards associated with using this product, including improper sizing leading to unsafe ammunition.
- Use protective eyewear when working with reloading equipment to protect against any debris or accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform for the latest safety information.

Specific Safety Precautions for Use

- Always measure the outside neck diameter of your loaded cartridge before selecting a bushing size.
- Use caution when handling brass cases, as they may have sharp edges.
- Ensure that the bushing is securely attached to the die before use to prevent accidents.
- Do not attempt to modify the bushing or the die; doing so can result in unsafe conditions.
- If you experience any difficulty in sizing or if the brass appears to be springing back excessively, consider using a tighter bushing by turning it over.
- Always wear gloves when handling brass to avoid cuts or injuries.

Instructions for Installation and Usage

1. Selecting the Right Bushing Size:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" to allow for brass spring back and achieve correct neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and then subtract .002" to .003".

2. Installing the Bushing:

- Ensure the die is clean and free of debris.
- Insert the selected bushing into the die, ensuring it fits snugly.
- Secure the die in your reloading press according to the manufacturer's instructions.

3. Using the Bushing:

- Place a brass case into the shell holder of your reloading press.
- Slowly raise the ram to size the neck of the brass case.
- Check the fit of the bullet in the case neck after sizing. If necessary, repeat the sizing process with a different bushing size.
- If using the bushing turned over (markings facing down), follow the same steps as above to achieve a tighter fit.

4. PostUse Care:

- Clean the bushing and die after use to remove any brass residue.
- Store the bushing in a dry, cool place, away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any used or damaged bushings in accordance with local regulations regarding metal waste.
- Do not dispose of the bushings in regular household waste. Check for recycling facilities that accept metal products.

Contact Information for Further Support

For any questions or concerns regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .264, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for following these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk